Friend of the Sea Standard

FOS-Aqua – *Acipenser gueldenstaedtii*– Fish Welfare Standard for the certification of Russian sturgeon in aquaculture



Friend of the Sea

REV	DATE	REASON	APPROVED	VALIDATED	RATIFIED
1	xxx	New standard			

Valid from: xxx

Compulsory from: xxx

FOS Acipenser gueldenstaedtii Fish Welfare Aqua Requirements Standard Rev. 1, xxx

Foreword

Friend of the Sea is a non-governmental organisation established in 2008. Its objective is to safeguard the marine environment and its resources, encouraging a sustainable market and implementing specific conservation projects.

The Friend of the Sea certification program allows for the assessment of fisheries and aquaculture products according to sustainability criteria and requirements. The certification, granted following an audit by independent certification bodies, ensures that a product complies with the sustainability requirements.

Requirements are classified as Important, Important or Recommendations, according to their level of importance.

<u>Essential Requirements</u>: The unit of certification shall be 100% compliant with essential requirements to be recommended for certification by the Certification Body (CB). Failure to comply with essential requirements is a major non-conformity. To achieve certification, corrective actions shall be implemented within three months from the date of assessment of non-conformities. The unit of certification shall provide the CB with satisfactory evidence of correction of all major non-conformities, if necessary, with additional audits.

<u>Important Requirements</u>: Failure to comply with important requirements is a minor non-conformity. To achieve certification, the unit of certification shall first propose a corrective action plan within maximum three weeks from the date of assessment of the non-conformities - to the satisfaction of the CB. In the proposal, the unit of certification shall include the timeframe for the implementation of each corrective action, considering that all minor nonconformities must be closed before the surveillance audit. The proposal shall be analysed by the CB regarding its consistency and feasibility. If accepted, the certificate can be granted. Then, in the surveillance audit, the unit of certification shall be able to demonstrate that all minor non-conformities reported in the approved proposal were solved. If the approved proposal has not been fully implemented, the certificate is suspended until the resolution of any remaining minor non-conformities.

<u>Recommendations</u>: It is not compulsory for the unit of certification to comply with recommendations to achieve certification. Nonetheless, compliance with recommendations shall be verified during the audit and any non-conformities shall be highlighted in the audit report as a "recommendation". The unit of certification shall inform the CB, during the following audit, regarding any corrective measures implemented.

Requirements that are not applicable to the audited unit of certification will be marked with "N.A."

Description of the unit of certification
This document shall only be filled out by personnel of the CB in charge of the
audit. It shall be filled out in English, if spoken fluently.
a) NAME OF THE UNIT OF CERTIFICATION TO BE AUDITED:
b) NAME OF THE UNIT OF CERTIFICATION THAT REQUESTED THE AUDIT:
c) IS THE UNIT OF CERTIFICATION TO BE AUDITED PART OF A GROUP?
d) ADDRESS OF THE UNIT OF CERTIFICATION TO BE AUDITED:
e) NAME AND CONTACTS OF THE PERSON RESPONSIBLE FOR THE UNIT OF CERTIFICATION TO BE AUDITED:
f) SITES TO BE AUDITED:
(please list site names and locations)

g) SITES VISITED BY THE AUDITOR:

h) DESCRIPTION OF THE AQUACULTURE SYSTEM:

(E.g.: land, bay, offshore, extensive, intensive, basin, tank, cage, nets, etc. Geographical extension, other. If available include a map)

i) DESCRIPTION OF BREEDING TECHNIQUES:

(Summary of breeding techniques from broodstock, to hatching, to the finished product)

4

j) ACTIVITY OF THE UNIT OF CERTIFICATION TO BE AUDITED:

breeding

pre-transformation

final transformation

🗆 import

export

distribution

k) DESCRIPTION OF THE FINAL PRODUCT:

(e.g.: fresh, frozen, canned, other)

I) BRANDS OF FINISHED PRODUCT:

(List of brands under which the product is sold. If available include images of the brands)

m) DESCRIPTION AND LOCATION OF FREEZERS AND WAREHOUSES, IF ANY:


(For product traceability purposes)

n) TOTAL NUMBER OF EMPLOYEES:

optional

o) ENVIRONMENTAL CERTIFICATIONS AND AWARDS:

p) ADDITIONAL INFORMATION:



CERTIFICATION BODY:	AUDIT TEAM:	AUDIT START AND END DATE:
SIGNATURE OF AUDITOR:	NAME OF THE PERSON IN CHARGE OF THE UNIT OF CERTIFICATION AND ACCOMPANYING THE	AUDIT CODE:
	AUDITOR DURING THE AUDIT:	TYPE OF AUDIT:

NOTES TO THE AUDITOR

- 1) The Auditor shall fill out all fields in the checklist.
- 2) The Auditor shall provide an explanation when requirements are not applicable.
- 3) The Auditor shall write YES when the unit of certification complies with a requirement and NO when it does not.
- 4) The Auditor shall comment and explain the positive or negative answers. Simple "YES," "NO," or "N.A." are insufficient.
- 5) Each relevant document shall be added to the final Audit Report in a separate and numbered attachment.
- 6) Photographic explanations added to the checklist or attached are appreciated.
- 7) This checklist is divided in two main sections: Hatchery and On-growing. If the checklist must be applied to only one of the two sections, the auditor must specify it in the above section p) ADDITIONAL INFORMATION.

HATCHERY REQUIREMENTS

<u>1 – CAPTIVE ENVIRONMENT</u>

No.	Requirement Production units should provide horizontal and vertical withdrawal space, optimizing fish welfare conditions regarding spatial constraints.	Level Important	Parameters and information There must always be horizontal and vertical empty space.	Y/N	Comments
1.2	Production units must not have sharp protrusions which may be injurious to the larvae and young.	Important	Absence of dangerous protrusions.		
1.3	Back-up power generators must exist, must be functional and must be ready to support essential equipment in case of a power failure. Generators should be tested and maintained weekly.	Important	Records, documents generator test.		
1.4	Production units and equipment must be checked for holes, faults and fouling. All equipment must be maintained regularly.	Important	Good overall condition of tanks and equipment. e.g. hand nets.		
1.5	Optimal photoperiod for fish welfare must be determined on a site-by-site basis using practical experience, research and welfare specialist advice. Maximum range: 8:16 to 16:8 L:D.	Important	Facility allocated within the natural photoperiod and geographical range of the species.		
1.6	Additional lighting either fixed or portable must be available, but only should be switched to allow examination of the animals and equipment.	Important	Stock inspection all times.		

1.7	Any pest control substances or	Important	There must be a		
	equipment must be enclosed in a		system of regular		
	secure location, so there is no risk of		documented		
	water contamination or accidental		monitoring these		
	access by non-target species.		baits points and		
			recording results.		
1.8	Structural enrichment should be	Recommended	Presence of		
	provided. If deemed impossible or		enrichment – but		
	harmful, other type of enrichment		observing Section		
	should be implemented		1.2 Captive		
	(occupational, dietary, social,		Environment.		
	sensorial).				
1.9	The tanks should be located in a site	Recommended	Absence of noise,		 Commentato [MP1
	protected from human induced noise.		recorded with a		during a call with som
	No loud noises are permitted in the		hydrophone and		
	vicinity of the tanks or raceways: air		analysed with		
	compressors, loading docks, air		appropriate		
	guns, machinery, etc.		software.		

Commentato [MP1]: Level changed based on what said during a call with some TC members.

<u> 2 – WATER</u>

No.	Requirement	Level	Parameters and information	Y/N	Comments
2.1	A contingency plan must exist to correct water quality parameters when they deviate from reference values.	Important	Water transparency, absence of foam, food or other items in the surface or in suspension, overall good water quality.		
2.2	Temperature should be verifiable at all times, and must be between 10- 20° C., preferably 15-20° C.	Important	Regular records of temperature.		

<u>3 – ANIMAL HEALTH AND ANIMAL WELFARE</u>

No.	Requirement	Level	Parameters and information	Y/ N	Comments
3.1	Each site must either employ a qualified fish veterinarian or have access to one.	Important	Records, documents, contracts.		
3.2	Each site must either employ a qualified fish welfare specialist or have access to one regularly.	Important	Records, documents.		
3.3	All sites must have a documented fish health and welfare plan.	Important	Records, documents.		
3.4	The documented fish health and welfare plan must be reviewed on at least an annual basis by an experienced fish veterinary and welfare specialist.	Important	Records, documents.		

<u>4 - FEEDING</u>

No.	Requirement	Level	Parameters and information	Y/ N	Comments
4.1	The farm must implement a system that ensures appropriate feed logistics (storage, transport, distribution, traceability), records, and contingency plan.	Important	Records, documents.		
	1				14

4.2	The farm must ensure that	Important	Records,	
	feeding regimes are according to		documents.	
	manufacturer's guidelines, farmer			
	experience, and feeding			
	behaviour. Adjustments of			
	feeding regimes should be based			
	on fish behaviour, appetite,			
	expected biomass, and			
	minimisation of feed waste.			
4.3	Feed must be dispensed and	Important	Records,	
	spread throughout the rearing		feeding	
	space to minimise the risk of		technique and	
	over- and under-feeding and to		protocol.	
	reduce feeding competition.			
4.4	Fish must be observed at least	Important	Records,	
	once per day during feeding and		documents.	
	feeding behaviour should be			
	registered. Records must be			
	available for inspection.			

5 - HANDLING AND MANIPULATION PROCEDURES

No.	Requirement	Level	Parameters and information	Y/N	Comments
5.1	Fish must be protected at all times from avoidable injuries, pain and stress. Farm operators must be able to demonstrate awareness at inspection.	Important	Records, documents, SOP, on-site observation, training.		
5.2	Cleaning and maintenance operations must be carried out with minimal impact on fish welfare and health.	Important	Records, documents, on-site observation, training.		

5.3	Live fish must only be	Important	Records,		
	removed from water and		documents,		
	handled when absolutely		on-site		
	necessary. The maximum		observation,		
	emersion time without		training.		
	anesthesia is 15 seconds.				
5.4	When fish are handled,	Important	Records,		
	adequate support must be		documents,		
	given to the body: live fish		videos or on-		
	should never be held by the		site		
	gills, tail only or/and		observation.		
	thrown.				
5.5	Handling nets must be of a	Important	Net design,		
	suitable size and ideally		size and		
	knotless. They must be kept		condition.		
	clean, disinfected upon each				
	use and replaced when				
	damaged. Their design must				
	not risk injuring the fish. In				
	case other equipment apart				
	from nets is used, they				
	must be in good conditions				
	and without protrusions.				

Commentato [MP2]: Added following a stakeholder comment.

<u>6 – VACCINATION</u>

No.	Requirement	Level	Parameters	Υ/	Comments
			and	Ν	
			information		
6.1	The use of vaccines is encouraged	Important	Records,		
	for the prevention of disease, rather		documents,		
	than relying on treatment.		SOP, on-site		
			observation.		
6.2	All vaccination procedures must be	Important	Records,		
	conducted with care and with the		documents,		
	minimum possible distress caused		SOP, on-site		
	to the fish.		observation.		

6.3	All fish must be sedated before	Important	Records,	T
	being injected, unless there are		documents, on-	
	clear health and welfare reasons not		site	
	to.		observation.	
6.4	Vaccines and anesthetics must be	Important	Records,	1
	used according to the		documents, on-	
	manufacturer's data sheet, unless		site	
	otherwise specified by a vet.		observation.	
	Vaccine use must be recorded in the			
	Veterinary Health and Welfare Plan.			
6.5	There must be back-up systems and	Important	Records,	
	contingency plans in place in order		documents.	
	to deal with vaccination system			
	malfunctions and breakdowns in			
	order to safeguard the welfare of			
	the fish.			

<u>7 - GRADING</u>

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
7.1	Grading must be minimised	Important	Records,		
	and only be performed when		documents,		
	absolutely necessary e.g.		SOP, on-site		
	before vaccination, to avoid		observation.		
	cannibalism, before		(grading		
	slaughtering.		system).		
7.2	All grading equipment must be	Important	Records,		
	designed and maintained in order		documents,		
	to prevent damage or causing		on-site		
	stress to the fish (e.g. absence of		observation.		
	protrusions to avoid injuries, fish		(grading		
	should be kept submerged at all		system).		
	times).				
7.3	A written protocol/working	Important	Records, SOP,		
	procedure for grading must be in		documents.		
	place and carried out at all times.				

Commentato [MP3]: Added following a wise suggestion from a stakeholder)

7.4	Fish must be monitored throughout	Important	Records,	
	the operation by a designated		documents.	
	person who is responsible for			
	identifying welfare issues and			
	taking appropriate action if			
	necessary.			

8 - TRANSPORTATION

0.	Requirement	Level	Parameters and information	Y/N	Comments
8.1	Transport must be planned in order to minimise possible adverse effects on fish welfare. Transport on land: max 8h.	Important	Records, documents.		
8.2	Water quality parameters (oxygenation, ammonia levels, pH, temperature) must be monitored during transport and match with arrival tanks. A surface skimmer must be present in all transport containers.	Important	Records, documents.		
8.3	Biosecurity and fish welfare should be considered before transporting fish populations.	Important	Records, documents.		
8.4	All equipment that the fish rely on for life support must be constantly monitored throughout the journey. Absence of protrusions (to avoid injuries) in the equipment is requested.		Records, documents, on-site observation.		
8.5	Water quality parameters must always comply with those described in the requirement FOS Aqua-inland rev 3 (requirements 8.1.1 to 8.1.11) and FOS Aqua Inland-Marine Rev. 4 (requirements 8.1.1 to 8.1.7)	Important	Records, documents.		

8.6	Supplementary oxygen or air	Important	Records,		
	supply must be sufficient to last		documents.		
	50% longer than the anticipated				
	length of the journey (see Section				
	8.1 Transportation).				
8.7	Excessive or rapid changes in	Important	Records,		
	water temperature or pH during		documents.		
	transport must be avoided, unless				
	there are clear health and welfare				
	reasons to do it.				
8.8	Any fish that die during	Important	Records,		
	transportation must be separated		documents.		
	from live fish as soon as possible				
	after arrival. The cause of death				
	must be determined by a				
	competent person.				
8.9	Decende of any depths or injuries	Transutant	Decordo		
6.9	Records of any deaths or injuries	Important	Records, documents.		
	that occur during transportation must be kept.		documents.		
	must be kept.				
8.10	Contingency plans must exist for	Important	Records,		
	all frequent transport problems.		documents.		
		1	1		

8.11	Starvation prior to transport should Important	Records,	
	not be longer than 50-degree days	documents.	
	and preferably just enough to		
	achieve gut clearance (see Section		
	9 Starvation).		

<u>9 - STARVATION</u>

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
9.1	Starvation periods must be	Important	Records,		
	justified.		documents.		
9.2	The period during which fish are	Important	Records,		
	deprived of food to achieve gut		documents, on-		
	clearance prior to certain		site		
	procedures or harvesting must be		observation.		
	appropriate and as minimal as				
	possible. Unless justified, this must				
	always be \leq 50-degree days.				
9.3	Feed withdrawal may form part of	Important	Records,		
	the response to the onset of	important	documents.		
	adverse environmental conditions		documents.		
	and in the treatment of certain				
	diseases. Veterinary and welfare				
	specialist advice should be sought				
	and appropriate, feed withdrawal				
	protocols should be included if				
	deviation periods from above.				

10 - CROWDING

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
10.1	A written procedure for fish crowding must be validated by a welfare specialist and carried out every time.	Important	SOP		
10.2	Operators must be trained in the appropriate crowding techniques.	Important	SOP		
10.3	The frequency and duration of crowding should be kept to the minimum and clearly justified. The period for fish crowding on any occasion must not exceed 1.5 hour for grading or treatments and 2 hours for harvest.	Important	Records, SOP, videos, on-site observation.		

10.4	Operators must monitor fish	Important	Crowd intensity	
	behaviour during crowding and		scale: A simple	
	take actions if fish show signs of		fish behaviour	
	stress or damage. Surface		scale from 1–5	
	activity should never reach stage		may be used as	
	4 on the crowd intensity scale.		a guide to	
			managing acute	
			stress, i.e.:	
			1(optimum).	
			Importantly no	
			fins breaking the	
			surface of the	
			water. 2	
			(Acceptable).	
			Fins above the	
			water over a small part of the	
			surface of the	
			crowd. 3	
			(Undesirable).	
			Fins and part of	
			the fish above	
			the water over	
			the whole	
			surface of the	
			crowd. Some	
			burrowing,	
			gasping and	
			vigorous activity	
			in parts of the	
			crowd. 4	
			(Unacceptable).	
			The whole	
			surface of the	
			crowd vigorously	
			burrowing,	
			gasping and	
			splashing. 5.	
			Whole surface of	
			the pen boiling	
			with violent	
			splashing.	
		I		

Oxygen levels during crowding	Important	Records,			
must be monitored and corrective		documents,			
action must be taken if levels fall		videos, on-site			
below a critical point (the critical		measurements.			
point will vary between species					
and with environmental factors).					
Critical level for Russian					
sturgeon: 5 mg/L.					
	action must be taken if levels fall below a critical point (the critical point will vary between species and with environmental factors). Critical level for Russian	action must be taken if levels fall below a critical point (the critical point will vary between species and with environmental factors). Critical level for Russian	action must be taken if levels fall videos, on-site below a critical point (the critical measurements. point will vary between species and with environmental factors). Critical level for Russian	action must be taken if levels fall videos, on-site below a critical point (the critical measurements. point will vary between species and with environmental factors). Critical level for Russian	action must be taken if levels fall videos, on-site below a critical point (the critical measurements. point will vary between species and with environmental factors). Critical level for Russian

11 - CULLING

No.	Requirement	Level	Parameters and information	Y/N	Comments
11.1	Any seriously sick or injured fish, or fish found not to be recovering, must be immediately removed and humanely killed without delay.	Important	Records, documents.		
11.2	Fish must only be culled using overdose of anesthetic.	Important	Documents, on-site observations.		
11.3	Culling of any fish must only be conducted by suitably trained and competent people.	Important	Documents.		

12- WELFARE ASSESSMENT

No.	Requirement	Level	Parameters and information	Y/N	Comments
12.1	Appropriate systems for on-site or remote behavioural observations must be implemented: fixed or mobile live cameras underwater (preferred), live surface observations (if the previous is not possible), surface windows, or others. Behavioural observations should be regularly recorded during routine procedures or any other action which can cause stress or discomfort to fish, in order to identify caveats and improve protocols.	Important	Documents, videos, on-site observation of major behaviour patterns: swimming behaviour should be calm schooling, no panic reactions, no isolated individuals, no aggression, no abnormal behaviour (see points below).		
12.2	Fish must be inspected on a daily basis and dead or moribund fish should be removed, minimising handling to avoid stress to the live fish within the enclosure (see Section 11 Culling).	Important	Documents, videos, on-site observation.		
12.3	Abnormal behaviour must be investigated in order to identify the cause of the issue and prevent reocccurence by implementing effective prevention strategies.	Important	on-site observation.		

12.4	Fish should be shoaling or schooling	Important	on-site	
	(i.e. group swimming with polarized orientation)		observation.	
12.5	Aggression events should be absent in 5 consecutive mins. of observation (minimum).	Important	on-site observation.	
12.6	Abnormal, vacuum or stereotypical behaviour should be absent in 5 consecutive mins. of observation (minimum).	Important	on-site observation.	
12.7	Anticipatory behaviour must be apparent prior to feeding routines.	Important	on-site observation.	
12.8	If individual observation is possible in detail, ventilatory activity should be normal (50-70 opercular beats per min. (bpm)); hyperventilation (>90 bpm) should be absent at all times. Abnormal values must be reported to the welfare specialist.	Important	on-site observation.	
12.9	Swimming activity should be regular, without major or sudden changes.	Important	on-site observation.	
				2

12.10	Before transfer to on-growing sites,	Important	on-site	
	a sample of ca. 100 fish must be	P	observation	
	examined at the point of weight			
	sampling for the following			
	outcomes: a) fin damage,			
	b) opercular damage, c) eye			
	damage, d) spine or jaw			
	deformities, e) poor skin condition.			
12.11	Farmers should be aware of, and	Recommended		
	consider the use of, new technology	riceconnenaea		
	that improves the welfare of fish.			
12.12	Farmers should have access to	Recommended		
	reliable and relevant information on			
	fish welfare.			
12.13	Farmers must implement a protocol	Important	On-site	
	to perform routine monitoring and		observation	
	assessments of fish welfare status in			
	their facilities, i.e. an internal			
	evaluation based on welfare			
	indicators.			

13- STOCKING AND MORTALITY

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
			information		
13.1	Fish stock numbers, average weight	Important	Records,		
13.1	and total biomass must be	Important	documents.		
	monitored weekly. Records for		uocuments.		
	monitoring and documentation must				
	-				
	be available for inspection.				
13.2	Stocking density should be	Important	Records,		
	monitored in relation to fish health		documents.		
	and behaviour indicators (see				
	Section 3 Animal Health and Welfare and Section 12 Welfare				
	Assessment). Water quality must be				
	monitored frequently and on				
	demand (see Aqua-inland point 8 and Section 2 Water).				
13.3	Mortality must be checked daily and	Important	Monthly		
13.5	dead fish should be removed from	Important	mortality rate		
	the water immediately. Mortality		>1%.		
	records must be available at		× 1 /0.		
	inspection.				
	inspection.				
13.4	Deviation from expected mortalities	Important		<u> </u>	
13.4	(included in the Veterinary Health	important			
	Plan) must be discussed with a				
	Veterinary and a Welfare specialist.				
	veterinary and a weirare specialist.				

13.5	Records for mortality causes must	Important		
10.0	be in place per production unit.	Important		
	Operators must show awareness for			
	mortality causes at inspection.			
	mortanty causes at inspection.			
13.6	When unexplained mortalities	Important		
	exceed $\geq 0.5\%$ per day, samples are			
	submitted for analysis by a			
	veterinarian.			
	veterinarian.			
		-		
13.7	Managers must:	Important		
	a) ensure that all staff working with			
	stock are trained and competent in			
	aspects of fish husbandry and			
	welfare, relevant to their duties			
	b) ensure that staff working with			
	stock must have attended a			
13.8	recognised fish welfare course. Operators must be able to	Important		
13.0	demonstrate their proficiency in	Important		
	procedures that have the potential			
	to cause pain or distress including,			
	handling, crowding and culling.			
	nandning, crowding and cuning.			
13.9	Stock-keepers must be able to	Important		
	recognise indicators of poor welfare			
	in fish including abnormal			
	behaviour, physical injury and			
	symptoms of disease.			

14- BROODSTOCK AND EGGS

1 1	Requirement	Level	Parameters	Y/N	Comments
			and		
			information		
14.1	Density of spawners must be kept	Important	Records,		
	<10kg/m ³ for overwintering		documents.		
	(stocking during winter conditions				
	prior to spawning).				
14.2	Tank sizes must be > $5m^3$ and > $1m$	Important			
	deep, rounded or avoiding angles				
	and contain structural enrichment,				
	provided that it does not hinder fish				
	swimming activities or tank cleaning				
	operations.				
		_			
14.3	Environmental parameters	Important	Records,		
	(temperature and photoperiod) of		documents.		
	broodstock tanks should follow the				
	natural rhythms for overwintering.				
14.4	Nature Law environments and a single	Turnentent	Deservela		
14.4	Natural spawning methods, i.e. without handling or manipulation,	Important	Records, documents.		
	should be implemented. In the		documents.		
	absence of such, all handling				
	procedures (e.g. stripping) must be				
	performed under anesthesia by a				
	trained staff member or team.				
14.5	Developing eggs may be maintained	Important	Records,		
	in dim light or darkness to reduce		documents.		
	mortality and must not be handled				
	after placement for 40-45 degree				
1 1	days (e.g. 4 days at 10° C).				

ON-GROWING REQUIREMENTS

<u> 1 – CAPTIVE ENVIRONMENT</u>

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
			information		
1.1	Production units should provide	Important	There must always		
	horizontal and vertical withdrawal		be horizontal and		
	space, optimising fish welfare		vertical empty		
	conditions regarding spatial		space.		
	constraints.				
1.2	Production units must not have sharp	Important	Absence of		
	protrusions which may be injurious	importante	dangerous		
	to the fish.		protrusions.		
			procrusions.		
1.3	Production units and equipment must	Important	Good overall		
	be checked for holes, faults and		condition of nets		
	fouling. All equipment must be		and infrastructures.		
	maintained regularly and records		Records of		
	must be ready for inspection.		periodicity and		
			methods as		
			assessment.		
1.4	Farm design should be such that	Important	Water visibility,		
	inspection of all stock is possible.		ROVs, divers,		
			cameras etc.		
1.5	Optimal photoperiod for fish welfare	Important	Facility allocated		
	must be determined on a site-by-site		within the natural		
	basis using practical experience,		photoperiod and		
	research and welfare specialist		geographical range		
	advice. Maximum range: 8:16 to		of the species.		
	16:8 L:D				
1.6	Production units must be of adequate	Important	Depth of net-pen.		
	depth to prevent damage from				
	ultraviolet radiation (> 45 cm) or				
	shadows must be provided if				
	considered appropriate.				

1.7	Additional lighting, either fixed or	Important	Stock inspection at		
	portable, must be available, but only		all times.		
	should be switched on to allow				
	examination of the animals and				
	equipment.				
1.8	Structural enrichment should be	Recommended	Presence of		
	provided. If deemed impossible or		enrichment – but		
	harmful, other type of enrichment		observing Section		
	should be implemented		1.2 Captive		
	(occupational, dietary, social,		Environment.		
	sensorial).				
1.9	The tanks should be located in a site	Recommended	Absence of noise,		Comme
	protected from human induced noise.		recorded with a		during a d
	No loud noises are permitted in the		hydrophone and		
	vicinity of the tanks or raceways: air		analysed with		
	compressors, loading docks, air		appropriate		
	guns, machinery, etc.		software.		

Commentato [MP5]: Level changed based on what said during a call with some TC members.

<u> 2- WATER</u>

No.	Requirement	Level	Parameters and information	Y/N	Comments
2.1	A contingency plan must exist to correct water quality parameters when they deviate from reference values.	Important	Water transparency, absence of foam, food or other items in the surface or in suspension, overall good water quality.		
2.2	Temperature should be verifiable at all times, and must be below 25° C.	Important	Regular records of temperature.		

<u>3 – ANIMAL HEALTH AND ANIMAL WELFARE</u>

No.	Requirement	Level	Parameters and information	Y/N	Comments
3.1	Each site must either employ a qualified fish vet or have access to one.	Important	Records, documents, contracts.		
3.2	Each site must either employ a qualified fish welfare specialist or have regular access to one.	Important	Records, documents.		
3.3	All sites must have a documented fish health and welfare plan.	Important	Records, documents.		
3.4	The documented fish health and welfare plan must be reviewed on at least an annual basis by an experienced fish veterinary and welfare specialist.	Important	Records, documents.		

<u>4 - FEEDING</u>

No.	Requirement	Level	Parameters and information	Y/N	Comments
4.1	The farm must implement a system that ensures appropriate feed logistics (storage, transport, distribution, traceability), records, and contingency plans.	Important	Records, documents.		

4.2	The farm must ensure that	Important	Records,	
	feeding regimes are carried out		documents.	
	according to manufacturer's			
	guidelines, farmer experience,			
	and feeding behaviour.			
	Adjustments to feeding regimes			
	should be based on fish			
	behaviour, appetite, expected			
	biomass, and minimisation of			
	feed waste.			
4.3	Feed must be dispensed and	Important	Records,	
	spread throughout the rearing		feeding	
	space to minimise the risk of		technique and	
	over- and under-feeding and to		protocol.	
	reduce feeding competition.			
4.4	Fish must be observed at least	Important	Records,	
	once per day during feeding and		documents.	
	feeding behaviour should be			
	registered. Records must be			
	available for inspection.			

5 - HANDLING AND MANIPULATION PROCEDURES

No.	Requirement	Level	Parameters and information	Y/N	Comments
5.1	Fish must be protected at all times from avoidable injuries, pain and stress. Farm operators must be able to demonstrate awareness at inspection.	Important	Records, documents, SOP, on-site observation, training.		
5.2	Cleaning and maintenance operations must be carried out with minimal impact to fish welfare and health.	Important	Records, documents, on-site observation, training.		

5.3	Live fish must only be	Important	Records,		
	removed from water and		documents,		
	handled when absolutely		on-site		
	necessary. The maximum		observation,		
	emersion time without		training.		
	anesthesia is 15 seconds.				
5.4	When fish are handled,	Important	Records,		
	adequate support must be		documents,		
	given to the body: live fish		videos, on-site		
	should never be held by the		observation.		
	gills, tail only and/or				
	thrown.				
5.5	Handling nets must be of a	Important	Net design,		
	suitable size and ideally		size and		
	knotless. They must be kept		condition.		
	clean, disinfected after use				
	and replaced when				
	damaged. Their design must				
	be as to not risk injuring the				
	fish. In case other				
	equipment apart from nets				
	is used, they must be in				
	good conditions and without				

Commentato [MP6]: Added following a stakeholder comment.

6 - VACCINATION

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
			information		
6.1	All vaccination procedures must be	Important	Records,		
	conducted with care and with the		documents,		
	minimum possible distress caused		SOP, on-site		
	to the fish.		observation.		
6.2	All fish must be sedated before	Important	Records,		
	being injected, unless there are		documents, on-		
	clear health and welfare reasons not		site		
	to.		observation.		

5.3	Vaccines and anesthetics must be	Important	Records,		
	used according to the		documents, on-		
	manufacturer's data sheet, unless		site		
	otherwise specified by a vet.		observation.		
	Vaccine use must be recorded in the				
	Veterinary Health and Welfare Plan.				
6.4	There must be back-up systems and	Important	Records,		
	contingency plans in place to deal		documents.		
	with vaccination system				
	malfunctions and breakdowns in				
	order to safeguard the welfare of				
	the fish.				

Z - GRADING

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
7.1	Grading must be minimised	Important	Records,		
	and only be performed when		documents,		
	absolutely necessary e.g.		SOP, on-site		
	before vaccination, to avoid		observation		
	cannibalism, before		(grading		
	slaughtering.		system).		
7.2	All grading equipment must be	Important	Records,		
	designed and maintained in order		documents,		
	to prevent damage or cause stress		on-site		
	to the fish (e.g. absence of		observation		
	protrusions to avoid injuries, fish		(grading		
	should be kept submerged at all		system).		
	times).				
7.3	A written protocol/working	Important	Records, SOP,		
	procedure for grading must be in		documents.		
	place and carried out at all time.				
7.4	Fish must be monitored throughout	Important	Records,		
	the operation by a designated		documents.		
	person who is responsible for				
	identifying welfare issues and				
	taking appropriate action if				
	necessary.]	

Commentato [MP7]: Added following a wise suggestion from a stakeholder)

7.5	If passive grading is used, the size	Important	Records,	
	and design of the grading panel		documents,	
	must be appropriate for the size of		on-site	
	fish that are to be graded, and the		observation	
	enclosure they are contained		(grading	
	within.		system).	

8 - TRANSPORTATION

			and information		
8.1	Transport must be planned in order to minimise possible adverse effects on fish welfare. Transport on land: max 8h.	Important	Records, documents.		
8.2	Water quality parameters (oxygenation, ammonia levels, pH, temperature) must be monitored during transport and match with arrival tanks. A surface skimmer must be present in all transport containers.	Important	Records, documents.		
8.3	Biosecurity and fish welfare should be considered before transporting fish populations.	Important	Records, documents.		
8.4	All equipment that the fish rely on for life support must be constantly monitored throughout the journey. Absence of protrusions (to avoid injuries) in the equipment is requested.	Important	Records, documents, on-site observation.		
8.5	Water quality parameters must always comply with those described in the requirement FOS Aqua-inland rev 3 (requirements 8.1.1 to 8.1.11) and FOS Aqua Inland-Marine Rev. 4 (requirements 8.1.1 to 8.1.7)	Important	Records, documents.		
8.6	Supplementary oxygen or air supply must be sufficient to last 50% longer than the anticipated length of the journey (see Section 8.1 Transportation).	Important	Records, documents.		

Commentato [MP8]: Added following a wise suggestion from a stakeholder

8.7	Excessive or rapid changes in	Important	Records,	
0.7	water temperature or pH during	Important	documents.	
	transport must be avoided, unless		documents.	
	there are clear health and welfare			
	reasons to do it.			
8.8	Any fish that die during	Important	Records,	
	transportation must be separated		documents.	
	from live fish as soon as possible			
	after arrival. The cause of death			
	must be determined by a			
	competent person.			
8.9	Records of any deaths or injuries	Important	Records,	
	that occur during transportation		documents.	
	must be kept.			
8.10	Contingency plans must exist for	Important	Records,	
	all frequent transport problems		documents.	
0.11	Charaction arised in the initial	Town and the	Decend	
8.11	Starvation prior to transport should	Important	Records,	
	not be longer than 50-degree days		documents.	
	and preferably just enough to			
	achieve gut clearance (see Section			
	9 Starvation).			

<u>9</u> - STARVATION

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
9.1	Starvation periods must be	Important	Records,		
	justified.		documents.		
9.2	The period during which fish are	Important	Records,		
	deprived of food to achieve gut		documents, on-		
	clearance prior to certain		site		
	procedures or harvesting must be		observation.		
	appropriate and as minimal as				
	possible. Unless justified, must				
	always be < 50-degree days.				
9.3	Feed withdrawal may form part of	Important	Records,		
	the response to the onset of		documents.		
	adverse environmental conditions				
	and in the treatment of certain				
	diseases. Veterinary and welfare				
	specialist advice should be sought				
	and appropriate feed withdrawal				
	protocols should be included if				
	deviation periods from above.				

<u>10</u> <u>- CROWDING</u>

No.	Requirement	Level	Parameters and	Y/N	Comments
10.1	A written procedure for fish crowding must be validated by a welfare specialist and carried out every time.	Important	SOP		
10.2	Operators must be trained in the appropriate crowding techniques.	Important	SOP		
10.3	The frequency and duration of crowding should be kept to the minimum and clearly justified. The period for fish crowding on any occasion must not exceed 1.5 hour for grading or treatments and 2 hours for harvest.	Important	Records, SOP, videos, observation on site.		

L 0.4	Operators must monitor fish	Important	Crowd intensity	
	behaviour during crowding and		scale: A simple	
	take actions if fish show signs of		fish behaviour	
	stress or damage. Surface		scale from 1-5	
	activity should never reach stage		may be used as	
	4 on the crowd intensity scale		a guide to	
			managing acute	
			stress, i.e.:	
			1(optimum).	
			Importantly no	
			fins breaking the	
			surface of the	
			water. 2	
			(Acceptable).	
			Fins above the	
			water over a	
			small part of the	
			surface of the	
			crowd. 3	
			(Undesirable).	
			Fins and part of	
			the fish above	
			the water over	
			the whole	
			surface of the	
			crowd. Some	
			burrowing,	
			gasping and	
			vigorous activity	
			in parts of the	
			crowd. 4	
			(Unacceptable).	
			The whole	
			surface of the	
			crowd vigorously	
			burrowing,	
			gasping and	
			splashing. 5.	
			Whole surface of	
			the pen boiling	
			with violent	
			splashing.	

point will vary between species and with environmental factors). Critical level: 5 mg/L.	10.5	Oxygen levels during crowding must be monitored and corrective action must be taken if levels fall below a critical point (the critical	Important	Records, documents, videos, on-site measurements.		
		point will vary between species and with environmental factors).				

<u>11 - CULLING</u>

No.	Requirement	Level	Parameters and information	Y/N	Comments
11.1	Any seriously sick or injured fish, or fish found not to be recovering, must be immediately removed and humanely killed without delay.	Important	Records, documents.		
11.2	Fish must only be culled using an overdose of anesthetic.	Important	Documents, on-site observation.		
11.3	Culling of any fish must only be conducted by suitably trained and competent people.	Important	Records, documents, on-site observation, training.		

12- WELFARE ASSESSMENT

No.	Requirement	Level	Parameters	Y/N	Comments
			and		
			information		
12.1	Appropriate systems for on-site or	Important	Documents,		
	remote behavioural observations		videos, on-site		
	must be implemented: fixed or		observation of		
	mobile live cameras underwater		major		
	(preferred), live surface		behaviour		
	observations (if the previous is not		patterns:		
	possible), surface windows, or		swimming		
	others. Behavioural observations		behaviour		
	should be regularly recorded during		should be calm,		
	routine procedures or any other		schooling, no		
	action which can cause stress or		panic reactions,		
	discomfort to fish, in order to		no isolated		
	identify caveats and improve		individuals, no		
	protocols.		aggression, no		
			abnormal		
			behaviours (see		
			points below).		
	· · · · · · · · · · · · · · · · · · ·	-	_		
12.2	Fish must be inspected on a daily	Important	Documents,		
	basis and dead or moribund fish		videos, on-site		
	should be removed, minimising		observation.		
	handling to avoid stress to the live				
	fish within the enclosure (see				
	Section 13 Culling).				
12.3	Abnormal behaviour must be	Important	On-site		
	investigated to identify the cause of		observation.		
	the issue and be prevented from				
	reoccuring by implementing				
	effective prevention strategies.]			

12.4	Fish should be shoaling or schooling	Important	On-site		
	(i.e. group swimming with polarized orientation)		observation.		
12.5	Aggression events should be absent	Important	On-site		
	in 5 consecutive mins of observation (minimum).		observation.		
12.6	Abnormal, vacuum or stereotypical	Important	On-site		
	behaviours should be absent in 5 consecutive mins of observation (minimum).		observation.		
12.7	Anticipatory behaviour must appear prior to feeding routines.	Important	On-site observation.		
12.8	Swimming activity should be	Important	On-site		
	regular, without major or sudden changes.		observation.		

12.9	Before transfer to on-growing sites,	Recommended			
	a sample of ca. 100 fish must be				
	examined at the point of weight				
	sampling for the following				
	outcomes: a) fin damage,				
	b) opercular damage, c) eye				
	damage, d) spine or jaw				
	deformities, e) poor skin condition.				
2.10	Farmers should be aware of, and	Recommended			
	consider, the use of new technology				
	that improves the welfare of fish.				
2.11	Farmers should have access to	Important	On-site		
	reliable and relevant information on		observation.		
	fish welfare.				
2.12		Transvers	On eite		
12.12	Farmers must implement a protocol	Important	On-site		
	to perform routine monitoring and assessments of fish welfare status in		observation.		
	their facilities, i.e. an internal evaluation based on welfare				
	indicators.				
			1		1
					1

13- STOCKING AND MORTALITY

No.	Requirement	Level	Parameters and information	Y/N	Comments
13.1	Fish stock numbers, average weight and total biomass must be monitored weekly. Records for monitoring and documentation must be available for inspection.	Important	Records, documents.		
13.2	Density of fish must be below 10kg/m ³ .	Important	Records, documents.		
13.3	Mortality must be checked daily and dead fish should be removed from the production units. Mortality records must be available at inspection.	Important	Monthly mortality rate >1%.		
13.4	Deviation from expected mortalities (included in the Veterinary Health Plan) must be discussed with a Veterinary and a Welfare specialist.	Important			
13.5	Records for mortality causes must be in place per production unit. Operators must show awareness for mortality causes at inspection.	Important			

13.6	When unexplained mortalities exceed ≥0.5% per day, samples are submitted for analysis by a veterinarian.	Important		
13.7	Managers must: a) ensure that all staff working with	Important		
	stock are trained and competent in aspects of fish husbandry and welfare, relevant to their duties			
	 b) ensure that staff working with stock must have attended a recognised fish welfare course. 			
13.8	Operators must be able to demonstrate that they received training and that they are proficient in procedures that have the potential to cause pain or distress including, handling, crowding and culling.	Important		
13.9	Stock-keepers must be able to recognise indicators of poor welfare in fish including abnormal behaviour, physical injury and symptoms of disease (see Section 12 Welfare Assessment).	Important		

14- HARVESTING, STUNNING AND SLAUGHTER

No.	Requirement	Level	Parameters and information	Y/N	Comments
		F		1	48

14.1	Harvesting can only be performed using fish pumps. The dimensions of pumps and tubes must be scaled to the operation and approved by an engineer. The maximum flow rate should be 3m/s.	IMPORTANT (but w/ transition period)	Documents, videos, on-site observation.	
14.2	The only permitted stunning and subsequent killing methods are: a) an effectively applied percussive blow, b) electronarcosis followed by bleeding, asphyxia or other slaughter method that must be applied while the fish are unconscious, c) electrocution (i.e. killing by electrical current).	IMPORTANT (but w/ transition period)	Documents, videos, on-site observation.	
14.3	A backup system e.g. 'priest' must be available throughout the killing process.	Important	Documents, videos, on-site observation.	
14.4	Any fish which fall to the ground during the process must be humanely killed with the main or back up system.	Important	Documents, videos, on-site observation.	
14.5	External damage such as scale loss, fin erosion, predator bites, lesions resulting from aggression, handling scares, parasite lesions and deformities must be noted at slaughter or upon arrival to the processing station.	Important	Documents, videos, on-site observation.	

14.6	All staff involved with the stunning and killing process must have received full training.	IMPORTANT (but w/ transition period)	Documents, videos, on-site observation.		
14.7	There must be a named person responsible for fish welfare throughout the killing process. This person is responsible for harvest records including stunning and slaughtering efficiency.	IMPORTANT (but w/ transition period)	Documents, videos, on-site observation.		
14.8	A written procedure for fish humane stunning and slaughtering (see Section 14.1 to 14.4 Harvesting, stunning and slaughter) must be in place and carried out all time.	Important	Documents, videos, on-site observation.		
14.9	Video recordings of harvesting, stunning and slaughtering must be performed regularly (once per month or every time there is any change in protocols)	Important	Documents, videos, on-site observation.		

Further comments:

The Auditor shall also fill-in the following fields:

- □ The products of Organisation come from an aquaculture system which COMPLIES with Friend of the Sea requirements.
- □ The products of Organisation come from an aquaculture system which DOES NOT COMPLY with Friend of the Sea requirements.

The Auditor found the following non-conformities:

MAJOR NON-CONFORMITIES (to be conformed to within 3 months) Specify the points (e.g. Hatchery 1.1, On-growing 3.1, ...)

MINOR NON-CONFORMITIES (to be reported within 3 weeks and conformed to within 1 year) Specify the points

RECOMMENDATIONS (to be communicated within the next inspection) Specify the points