# Friend of the Sea Standard

# FOS-Aqua – *Salmo trutta* – Fish Welfare Standard for the certification of brown trout in aquaculture



#### Friend of the Sea

www.friendofthesea.org

| REV | DATE | REASON       | APPROVED | VALIDATED | RATIFIED |
|-----|------|--------------|----------|-----------|----------|
| 1   | xxx  | New standard |          |           |          |

Valid from: xxx

**Compulsory from:** xxx

FOS Salmo trutta Fish Welfare Aqua Requirements Standard Rev. 1, xxx

#### **Foreword**

Friend of the Sea is a non-governmental organisation established in 2008. Its objective is to safeguard the marine environment and its resources, encouraging a sustainable market and implementing specific conservation projects.

The Friend of the Sea certification program allows for the assessment of fisheries and aquaculture products according to sustainability criteria and requirements. The certification, granted following an audit by independent certification bodies, ensures that a product complies with the sustainability requirements.

Requirements are classified as Important, Important or Recommendations, according to their level of importance.

<u>Essential Requirements</u>: The unit of certification shall be 100% compliant with essential requirements to be recommended for certification by the Certification Body (CB). Failure to comply with essential requirements is a major non-conformity. To achieve certification, corrective actions shall be implemented within three months from the date of assessment of non-conformities. The unit of certification shall provide the CB with satisfactory evidence of correction of all major non-conformities, if necessary, with additional audits.

Important Requirements: Failure to comply with important requirements is a minor non-conformity. To achieve certification, the unit of certification shall first propose a corrective action plan within maximum three weeks from the date of assessment of the non-conformities - to the satisfaction of the CB. In the proposal, the unit of certification shall include the timeframe for the implementation of each corrective action, considering that all minor non-conformities must be closed before the surveillance audit. The proposal shall be analysed by the CB regarding its consistency and feasibility. If accepted, the certificate can be granted. Then, in the surveillance audit, the unit of certification shall be able to demonstrate that all minor non-conformities reported in the approved proposal were solved. If the approved proposal has not been fully implemented, the certificate is suspended until the resolution of any remaining minor non-conformities.

<u>Recommendations</u>: It is not compulsory for the unit of certification to comply with recommendations to achieve certification. Nonetheless, compliance with recommendations shall be verified during the audit and any non-conformities shall be highlighted in the audit report as a "recommendation". The unit of certification shall inform the CB, during the following audit, regarding any corrective measures implemented.

Requirements that are not applicable to the audited unit of certification will be marked with "N.A."

| Description of t | the unit of | certification |
|------------------|-------------|---------------|
|------------------|-------------|---------------|

This document shall only be filled out by personnel of the CB in charge of the audit. It shall be filled out in English, if spoken fluently.

| a) NAME OF THE UNIT OF CERTIFICATION TO BE AUDITED:            |
|--|
| b) NAME OF THE UNIT OF CERTIFICATION THAT REQUESTED THE AUDIT: |
| c) IS THE UNIT OF CERTIFICATION TO BE AUDITED PART OF A GROUP? |
| d) ADDRESS OF THE UNIT OF CERTIFICATION TO BE AUDITED:         |
| e) NAME AND CONTACTS OF THE PERSON RESPONSIBLE FOR THE UNIT OF |
| CERTIFICATION TO BE AUDITED:                                   |
| f) SITES TO BE AUDITED:  |
| (please list site names and locations)                         |

| g) SITES \         | /ISITED BY THE AUDITOR:  |
|--------------------|--|
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
| n) DESCR           | IPTION OF THE AQUACULTURE SYSTEM:                                    |
|                    | bay, offshore, extensive, intensive, basin, tank, cage, nets, etc.   |
|                    | ral extension, other. If available include a map)                    |
| <i>зеоугарті</i> с | al extension, other. If available include a map)                     |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
| ) DECCDI           | PTION OF BREEDING TECHNIQUES:  |
|                    |  |
|                    | of breeding techniques from broodstock, to hatching, to the finished |
| product)           |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |
|                    |  |

| ) ACTIVITY OF THE UNIT OF CERTIFICATION TO BE AUDITED:  |       |
|---|-------|
| breeding  |       |
| pre-transformation  |       |
| final transformation  |       |
| import  |       |
| export  |       |
| distribution  |       |
| ) DESCRIPTION OF THE FINAL PRODUCT:   |       |
| e.g.: fresh, frozen, canned, other)   |       |
|   |       |
|   |       |
|   |       |
|   |       |
| A PRANCE OF FINISHED PRODUCT.   |       |
| ) BRANDS OF FINISHED PRODUCT:<br>List of brands under which the product is sold. If available include images of | f tha |
| rands)  | ruie  |
|   |       |
|   |       |
|   |       |
|   |       |
|   |       |
|   |       |
|   |       |
|   |       |
|   |       |
|   |       |

| m) DESCRIPTION    | ON AND LOCATION OF  | FREEZERS AND WAREH | OUSES, IF ANY: |
|-------------------|---------------------|--------------------|----------------|
| (For product trac | eability purposes)  |                    |                |
|                   |                     |                    |                |
| n) TOTAL NUMI     | BER OF EMPLOYEES:   |                    |                |
| optional          |                     |                    |                |
| o) ENVIRONME      | NTAL CERTIFICATIONS | S AND AWARDS:      |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
| p) ADDITIONA      | INFORMATION:        |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |
|                   |                     |                    |                |

| The Friend of the Sea project was introduced (If not, the Auditor shall provide a short description)   |
|--|
| The unit of certification were informed of the opportunity, in case of approval, of using the Friend of the Sea logo on the certified products                         |
| The unit of certification has a document qualifying and confirming the roles of the staff carrying out the audit   |
| The duration of the Audit was agreed upon  |
| The information included in the Preliminary Information Form (PIF) has been confirmed (in case of changes to the PIF, an updated version has to be promptly provided): |
|  |

| CERTIFICATION BODY:   | AUDIT TEAM:  | AUDIT START AND END DATE: |
|-----------------------|--|---------------------------|
| SIGNATURE OF AUDITOR: | NAME OF THE PERSON IN CHARGE OF THE UNIT OF CERTIFICATION AND ACCOMPANYING THE | AUDIT CODE:               |
|                       | AUDITOR DURING THE AUDIT:  | TYPE OF AUDIT:            |

#### **NOTES TO THE AUDITOR**

- 1) The Auditor shall fill out all fields in the checklist.
- 2) The Auditor shall provide an explanation when requirements are not applicable.
- 3) The Auditor shall write YES when the unit of certification complies with a requirement and NO when it does not.
- 4) The Auditor shall comment and explain the positive or negative answers. Simple "YES," "NO," or "N.A." are insufficient.
- 5) Each relevant document shall be added to the final Audit Report in a separate and numbered attachment.
- 6) Photographic explanations added to the checklist or attached are appreciated.
- 7) This checklist is divided in two main sections: Hatchery and On-growing. If the checklist must be applied to only one of the two sections, the auditor must specify it in the above section p) ADDITIONAL INFORMATION.

## HATCHERY REQUIREMENTS

#### 1 - CAPTIVE ENVIRONMENT

| and information  1.1 Production units should provide horizontal and vertical withdrawal space, optimizing fish welfare conditions regarding spatial constraints.  |  |
|---|--|
| 1.1 Production units should provide Important There must always be horizontal and vertical withdrawal space, optimizing fish welfare conditions regarding spatial Important There must always be horizontal and vertical empty space. |  |
| horizontal and vertical withdrawal be horizontal and space, optimizing fish welfare vertical empty conditions regarding spatial space.  |  |
| horizontal and vertical withdrawal be horizontal and space, optimizing fish welfare vertical empty conditions regarding spatial space.  |  |
| horizontal and vertical withdrawal be horizontal and space, optimizing fish welfare vertical empty conditions regarding spatial space.  |  |
| space, optimizing fish welfare vertical empty conditions regarding spatial space.   |  |
| conditions regarding spatial space.   |  |
|   |  |
| constraints.  |  |
|   |  |
|   |  |
|   |  |
|   |  |
| 1.2 Production units must not have sharp Important Absence of   |  |
| protrusions which may be injurious dangerous  |  |
| to the larvae and young. protrusions.   |  |
|   |  |
| 1.3 Back-up power generators must Important Records,  |  |
| exist, must be functional and must documents  |  |
| be ready to support essential generator test.   |  |
| equipment in case of a power failure.   |  |
| Generators should be tested and   |  |
| maintained weekly.  |  |
|   |  |
| 1.4 Production units and equipment must   Important   Good overall  |  |
| be checked for holes, faults and condition of tanks   |  |
| fouling. All equipment must be and equipment.   |  |
| maintained regularly. e.g. hand nets.   |  |
|   |  |
| 1.5 Optimal photoperiod for fish welfare   Important   Facility allocated   |  |
| must be determined on a site-by-site within the natural   |  |
| basis using practical experience, photoperiod and   |  |
| research and welfare specialist geographical range  |  |
| advice. of the species.   |  |
| 1.6 Additional lighting either fixed or Important Stock inspection all  |  |
| portable must be available, but only times.   |  |
| should be switched to allow   |  |
| examination of the animals and  |  |
| equipment.  |  |

|     | n .                                     | 1           |                    |  |
|-----|---|-------------|--------------------|--|
| 1.7 | Any pest control substances or          | Important   | There must be a    |  |
|     | equipment must be enclosed in a         |             | system of regular  |  |
|     | secure location, so there is no risk of |             | documented         |  |
|     | water contamination or accidental       |             | monitoring these   |  |
|     | access by non-target species.           |             | baits points and   |  |
|     |   |             | recording results. |  |
| 1.8 | Structural enrichment should be         | Recommended | Presence of        |  |
|     | provided. If deemed impossible or       |             | enrichment but     |  |
|     | harmful, other type of enrichment       |             | observing Section  |  |
|     | should be implemented                   |             | 1.2 Captive        |  |
|     | (occupational, dietary, social,         |             | Environment.       |  |
|     | sensorial).                             |             |                    |  |
| 1.9 | The tanks should be located in a site   | Recommended | Absence of noise,  |  |
|     | protected from human induced noise.     |             | recorded with a    |  |
|     | The maximum sound pressure level        |             | hydrophone and     |  |
|     | should be under 150 dB re 1 µPa rms     |             | analysed with      |  |
|     | in the 0.2-2kHz frequency range in      |             | appropriate        |  |
|     | any point of the tank at all times.     |             | software.          |  |

**Commentato [MP1]:** Level changed based on what said during a call with some TC members.

#### <u> 2 – WATER</u>

| No. | Requirement                         | Level     | Parameters     | Y/N | Comments |
|-----|-------------------------------------|-----------|----------------|-----|----------|
|     |                                     |           | and            |     |          |
|     |                                     |           | information    |     |          |
|     |                                     |           |                |     |          |
| 2.1 | A contingency plan must exist to    | Important | Water          |     |          |
|     | correct water quality parameters    |           | transparency,  |     |          |
|     | when they deviate from reference    |           | absence of     |     |          |
|     | values.                             |           | foam, food or  |     |          |
|     |                                     |           | other items in |     |          |
|     |                                     |           | the surface or |     |          |
|     |                                     |           | in             |     |          |
|     |                                     |           | suspension,    |     |          |
|     |                                     |           | overall good   |     |          |
|     |                                     |           | water quality. |     |          |
|     |                                     |           |                |     |          |
| 2.2 | Temperature should be verifiable at | Important | Regular        |     |          |
|     | all times and must be between 18    |           | records of     |     |          |
|     | to 24º C.                           |           | temperature.   |     |          |
|     |                                     |           |                |     |          |
|     |                                     |           |                |     |          |

#### 3 - ANIMAL HEALTH AND ANIMAL WELFARE

| No. | Requirement  | Level     | Parameters<br>and<br>information     | Y/<br>N | Comments |
|-----|--|-----------|--------------------------------------|---------|----------|
| 3.1 | Each site must either employ a qualified fish veterinarian or have access to one.  | Important | Records,<br>documents,<br>contracts. |         |          |
| 3.2 | Each site must either employ a qualified fish welfare specialist or have access to one regularly.  | Important | Records,<br>documents.               |         |          |
| 3.3 | All sites must have a documented fish health and welfare plan.   | Important | Records,<br>documents.               |         |          |
| 3.4 | The documented fish health and welfare plan must be reviewed on at least an annual basis by an experienced fish veterinary and welfare specialist. | Important | Records,<br>documents.               |         |          |

#### 4 - FEEDING

| No. | Requirement   | Level     | Parameters<br>and<br>information | Y/<br>N | Comments |
|-----|---|-----------|----------------------------------|---------|----------|
| 4.1 | The farm must implement a system that ensures appropriate feed logistics (storage, transport, distribution, traceability), records, and contingency plan. | Important | Records,<br>documents.           |         |          |

| 4.2 | The farm must ensure that         | Important | Records,      |   |  |
|-----|-----------------------------------|-----------|---------------|---|--|
| 7.2 |                                   | Important | documents.    |   |  |
|     | feeding regimes are according to  |           | documents.    |   |  |
|     | manufacturer's guidelines, farmer |           |               |   |  |
|     | experience, and feeding           |           |               |   |  |
|     | behaviour. Adjustments of         |           |               |   |  |
|     | feeding regimes should be based   |           |               |   |  |
|     | on fish behaviour, appetite,      |           |               |   |  |
|     | expected biomass, and             |           |               |   |  |
|     | minimisation of feed waste.       |           |               |   |  |
|     |                                   |           |               |   |  |
| 4.3 | Feed must be dispensed and        | Important | Records,      |   |  |
|     | spread throughout the rearing     |           | feeding       |   |  |
|     | space to minimise the risk of     |           | technique and |   |  |
|     | over- and under-feeding and to    |           | protocol.     |   |  |
|     | reduce feeding competition.       |           |               |   |  |
|     |                                   |           |               |   |  |
|     |                                   |           |               |   |  |
| 4.4 | Fish must be observed at least    | Important | Records,      |   |  |
|     | once per day during feeding, and  |           | documents.    |   |  |
|     | feeding behaviour should be       |           |               |   |  |
|     | registered. Records must be       |           |               |   |  |
|     | available for inspection.         |           |               |   |  |
|     |                                   |           |               |   |  |
|     |                                   |           |               |   |  |
| 1   |                                   |           | I             | 1 |  |

#### 5 - HANDLING AND MANIPULATION PROCEDURES

| No. | Requirement   | Level     | Parameters<br>and<br>information                                    | Y/N | Comments |
|-----|---|-----------|---|-----|----------|
| 5.1 | Fish must be protected at all times from avoidable injuries, pain and stress. Farm operators must be able to demonstrate awareness at inspection. | Important | Records,<br>documents,<br>SOP, on-site<br>observation,<br>training. |     |          |
| 5.2 | Cleaning and maintenance operations must be carried out with minimal impact on fish welfare and health.   | Important | Records,<br>documents,<br>on-site<br>observation,<br>training.      |     |          |

| 5.3 | Live field movet and the       | Important | Dagarda       |  |
|-----|--------------------------------|-----------|---------------|--|
| 5.3 | Live fish must only be         | important | Records,      |  |
|     | removed from water and         |           | documents,    |  |
|     | handled when absolutely        |           | on-site       |  |
|     | necessary. The maximum         |           | observation,  |  |
|     | emersion time without          |           | training.     |  |
|     | anesthesia is 15 seconds.      |           |               |  |
|     |                                |           |               |  |
| 5.4 | When fish are handled,         | Important | Records,      |  |
|     | adequate support must be       |           | documents,    |  |
|     | given to the body: live fish   |           | videos or on- |  |
|     | should never be held by the    |           | site          |  |
|     | gills, tail only or/and        |           | observation.  |  |
|     | thrown.                        |           |               |  |
|     |                                |           |               |  |
| 5.5 | Handling nets must be of a     | Important | Net design,   |  |
|     | suitable size and ideally      |           | size and      |  |
|     | knotless. They must be kept    |           | condition.    |  |
|     | clean, disinfected upon each   |           |               |  |
|     | use and replaced when          |           |               |  |
|     | damaged. Their design must     |           |               |  |
|     | not risk injuring the fish. In |           |               |  |
|     | case other equipment apart     |           |               |  |
|     | from nets is used, they        |           |               |  |
|     | must be in good conditions     |           |               |  |
|     |                                |           |               |  |
|     | and without protrusions.       |           |               |  |
|     |                                |           |               |  |

**Commentato [MP2]:** Added following a stakeholder comment.

#### 6 - VACCINATION

| No. | Requirement                           | Level     | Parameters   | Υ/ | Comments |
|-----|---------------------------------------|-----------|--------------|----|----------|
|     |                                       |           | and          | N  |          |
|     |                                       |           | information  |    |          |
| 6.1 | The use of vaccines is encouraged     | Important | Records,     |    |          |
|     | for the prevention of disease, rather |           | documents,   |    |          |
|     | than relying on treatment.            |           | SOP, on-site |    |          |
|     |                                       |           | observation. |    |          |
|     |                                       |           |              |    |          |
|     |                                       |           |              |    |          |
| 6.2 | All vaccination procedures must be    | Important | Records,     |    |          |
|     | conducted with care and with the      |           | documents,   |    |          |
|     | minimum possible distress caused      |           | SOP, on-site |    |          |
|     | to the fish.                          |           | observation. |    |          |
|     |                                       |           |              |    |          |
|     |                                       |           |              |    |          |
|     |                                       |           |              |    |          |

| 6.3 | All fish must be sedated before      | Important | Records,       |  |
|-----|--------------------------------------|-----------|----------------|--|
|     | being injected, unless there are     |           | documents, on- |  |
|     | clear health and welfare reasons not |           | site           |  |
|     | to.                                  |           | observation.   |  |
|     |                                      |           |                |  |
|     |                                      |           |                |  |
| 6.4 | Vaccines and anesthetics must be     | Important | Records,       |  |
| 0.1 | used according to the                | important | documents, on- |  |
|     | <del>-</del>                         |           |                |  |
|     | manufacturer's data sheet, unless    |           | site           |  |
|     | otherwise specified by a vet.        |           | observation.   |  |
|     | Vaccine use must be recorded in the  |           |                |  |
|     | Veterinary Health and Welfare Plan.  |           |                |  |
|     |                                      |           |                |  |
| 6.5 | There must be back-up systems and    | Important | Records,       |  |
|     | contingency plans in place in order  |           | documents.     |  |
|     | to deal with vaccination system      |           |                |  |
|     | malfunctions and breakdowns in       |           |                |  |
|     | order to safeguard the welfare of    |           |                |  |
|     | the fish.                            |           |                |  |
|     |                                      |           |                |  |

#### <u> 7 - GRADING</u>

| No. | Requirement                         | Level     | Parameters    | Y/N | Comments |
|-----|-------------------------------------|-----------|---------------|-----|----------|
|     |                                     |           | and           |     |          |
| 7.1 | Grading must be minimised           | Important | Records,      |     |          |
|     | and only be performed when          |           | documents,    |     |          |
|     | absolutely necessary e.g.           |           | SOP, on-site  |     |          |
|     | before vaccination, to avoid        |           | observation.  |     |          |
|     | cannibalism, before                 |           | (grading      |     |          |
|     | slaughtering.                       |           | system).      |     |          |
| 7.2 | All grading equipment must be       | Important | Records,      |     |          |
|     | designed and maintained in order    |           | documents,    |     |          |
|     | to prevent damage or causing        |           | on-site       |     |          |
|     | stress to the fish (e.g. absence of |           | observation.  |     |          |
|     | protrusions to avoid injuries, fish |           | (grading      |     |          |
|     | should be kept submerged at all     |           | system).      |     |          |
|     | times).                             |           |               |     |          |
| 7.3 | A written protocol/working          | Important | Records, SOP, |     |          |
|     | procedure for grading must be in    |           | documents.    |     |          |
|     | place and carried out at all times. |           |               |     |          |
|     |                                     |           |               |     |          |
|     |                                     |           |               |     |          |
|     |                                     |           |               |     |          |

**Commentato [MP3]:** Added following a wise suggestion from a stakeholder)

| 7.4 | Fish must be monitored throughout | Important | Records,   |  |
|-----|-----------------------------------|-----------|------------|--|
|     | the operation by a designated     |           | documents. |  |
|     | person who is responsible for     |           |            |  |
|     | identifying welfare issues and    |           |            |  |
|     | taking appropriate action if      |           |            |  |
|     | necessary.                        |           |            |  |
|     |                                   |           |            |  |

#### 8 - TRANSPORTATION

| No. | Requirement                         | Level     | Parameters   | Y/N | Comments |
|-----|-------------------------------------|-----------|--------------|-----|----------|
|     |                                     |           | and          |     |          |
|     |                                     |           | information  |     |          |
| 8.1 | · ·                                 | Important | Records,     |     |          |
|     | order to minimise possible adverse  |           | documents.   |     |          |
|     | effects on fish welfare. Transport  |           |              |     |          |
|     | on land: max 8h.                    |           |              |     |          |
| 8.2 | Water quality parameters            | Important | Records,     |     |          |
|     | (oxygenation, ammonia levels, pH,   |           | documents.   |     |          |
|     | temperature) must be monitored      |           |              |     |          |
|     | during transport and match with     |           |              |     |          |
|     | arrival tanks. A surface skimmer    |           |              |     |          |
|     | must be present in all transport    |           |              |     |          |
|     | containers.                         |           |              |     |          |
| 8.3 | Biosecurity and fish welfare should | Important | Records,     |     |          |
|     | be considered before transporting   |           | documents.   |     |          |
|     | fish populations.                   |           |              |     |          |
|     |                                     |           |              |     |          |
|     |                                     |           |              |     |          |
| 8.4 | All equipment that the fish rely on | Important | Records,     |     |          |
|     | for life support must be constantly |           | documents,   |     |          |
|     | monitored throughout the journey.   |           | on-site      |     |          |
|     | Absence of protrusions (to avoid    |           | observation. |     |          |
|     | injuries) in the equipment is       |           |              |     |          |
|     | requested.                          |           |              |     |          |
|     |                                     |           |              |     |          |
| 8.5 | Water quality parameters must       | Important | Records,     |     |          |
|     | always comply with those            |           | documents.   |     |          |
|     | described in the requirement FOS    |           |              |     |          |
|     | Aqua-inland rev 3 (requirements     |           |              |     |          |
|     | 8.1.1 to 8.1.11) and FOS Aqua       |           |              |     |          |
|     | Inland-Marine Rev. 4                |           |              |     |          |
|     | (requirements 8.1.1 to 8.1.7)       |           |              |     |          |
|     |                                     |           |              |     |          |

**Commentato [MP4]:** Added following a wise suggestion from a stakeholder

| 8.6  | Supplementary oxygen or air supply must be sufficient to last 50% longer than the anticipated length of the journey (see Section 8.1 Transportation).                    | Important | Records,<br>documents. |  |
|------|--|-----------|------------------------|--|
| 8.7  | Excessive or rapid changes in water temperature or pH during transport must be avoided, unless there are clear health and welfare reasons to do it.                      | Important | Records,<br>documents. |  |
| 8.8  | Any fish that die during transportation must be separated from live fish as soon as possible after arrival. The cause of death must be determined by a competent person. | Important | Records,<br>documents. |  |
| 8.9  | Records of any deaths or injuries that occur during transportation must be kept.   | Important | Records,<br>documents. |  |
| 8.10 | Contingency plans must exist for all frequent transport problems.  | Important | Records,<br>documents. |  |

| 8.11 | Starvation prior to transport should | Important | Records,   |  |  |
|------|--------------------------------------|-----------|------------|--|--|
|      | not be longer than 50-degree days    |           | documents. |  |  |
|      | and preferably just enough to        |           |            |  |  |
|      | achieve gut clearance (see Section   |           |            |  |  |
|      | 9 Starvation).                       |           |            |  |  |
|      |                                      |           |            |  |  |
|      |                                      |           |            |  |  |
|      |                                      |           |            |  |  |
|      |                                      |           |            |  |  |
|      |                                      |           |            |  |  |

#### 9 - STARVATION

| No. | Requirement                           | Level     | Parameters     | Y/N | Comments |
|-----|---------------------------------------|-----------|----------------|-----|----------|
|     |                                       |           | and            |     |          |
| 9.1 | Starvation periods must be            | Important | Records,       |     |          |
|     | justified.                            |           | documents.     |     |          |
|     |                                       |           |                |     |          |
|     |                                       |           |                |     |          |
| 9.2 | The period during which fish are      | Important | Records,       |     |          |
|     | deprived of food to achieve gut       |           | documents, on- |     |          |
|     | clearance prior to certain            |           | site           |     |          |
|     | procedures or harvesting must be      |           | observation.   |     |          |
|     | appropriate and as minimal as         |           |                |     |          |
|     | possible. Unless justified, this must |           |                |     |          |
|     | always be $\leq$ 50-degree days.      |           |                |     |          |
| 9.3 | Feed withdrawal may form part of      | Important | Records,       |     |          |
|     | the response to the onset of          | 1portaile | documents.     |     |          |
|     | adverse environmental conditions      |           | a o camento    |     |          |
|     | and in the treatment of certain       |           |                |     |          |
|     | diseases. Veterinary and welfare      |           |                |     |          |
|     | specialist advice should be sought    |           |                |     |          |
|     | and appropriate, feed withdrawal      |           |                |     |          |
|     | protocols should be included if       |           |                |     |          |
|     | deviation periods from above.         |           |                |     |          |
|     |                                       |           |                |     |          |

#### 10 - CROWDING

| No.  | Requirement                        | Level     | Parameters      | Y/N | Comments |
|------|------------------------------------|-----------|-----------------|-----|----------|
|      |                                    |           | and             |     |          |
| 10.1 | A written procedure for fish       | Important | SOP             |     |          |
|      | crowding must be validated by a    |           |                 |     |          |
|      | welfare specialist and carried out |           |                 |     |          |
|      | every time.                        |           |                 |     |          |
|      |                                    |           |                 |     |          |
|      |                                    |           |                 |     |          |
|      |                                    |           |                 |     |          |
|      |                                    |           |                 |     |          |
| 10.2 | Operators must be trained in the   | Important | SOP             |     |          |
| 10.2 | appropriate crowding techniques.   | Important | 301             |     |          |
|      | appropriate crowding techniques.   |           |                 |     |          |
|      |                                    |           |                 |     |          |
|      |                                    |           |                 |     |          |
|      |                                    |           |                 |     |          |
|      |                                    |           |                 |     |          |
| 10.3 | The frequency and duration of      | Important | Records, SOP,   |     |          |
|      | crowding should be kept to the     |           | videos, on-site |     |          |
|      | minimum and clearly justified.     |           | observation.    |     |          |
|      | The period for fish crowding on    |           |                 |     |          |
|      | any occasion must not exceed 1.5   |           |                 |     |          |
|      | hour for grading or treatments     |           |                 |     |          |
|      | and 2 hours for harvest.           |           |                 |     |          |
|      |                                    |           |                 |     |          |
|      |                                    |           |                 |     |          |

| 10.4 | Operators must monitor fish        | Important | Crowd intensity   |  |
|------|------------------------------------|-----------|-------------------|--|
|      | behaviour during crowding and      |           | scale: A simple   |  |
|      | take actions if fish show signs of |           | fish behaviour    |  |
|      | stress or damage. Surface          |           | scale from 1-5    |  |
|      | activity should never reach stage  |           | may be used as    |  |
|      | 4 on the crowd intensity scale.    |           | a guide to        |  |
|      |                                    |           | managing acute    |  |
|      |                                    |           | stress, i.e.:     |  |
|      |                                    |           | 1(optimum).       |  |
|      |                                    |           | Importantly no    |  |
|      |                                    |           | fins breaking the |  |
|      |                                    |           | surface of the    |  |
|      |                                    |           | water. 2          |  |
|      |                                    |           | (Acceptable).     |  |
|      |                                    |           | Fins above the    |  |
|      |                                    |           | water over a      |  |
|      |                                    |           | small part of the |  |
|      |                                    |           | surface of the    |  |
|      |                                    |           | crowd. 3          |  |
|      |                                    |           | (Undesirable).    |  |
|      |                                    |           | Fins and part of  |  |
|      |                                    |           | the fish above    |  |
|      |                                    |           | the water over    |  |
|      |                                    |           | the whole         |  |
|      |                                    |           | surface of the    |  |
|      |                                    |           | crowd. Some       |  |
|      |                                    |           | burrowing,        |  |
|      |                                    |           | gasping and       |  |
|      |                                    |           | vigorous activity |  |
|      |                                    |           | in parts of the   |  |
|      |                                    |           | crowd. 4          |  |
|      |                                    |           | (Unacceptable).   |  |
|      |                                    |           | The whole         |  |
|      |                                    |           | surface of the    |  |
|      |                                    |           | crowd vigorously  |  |
|      |                                    |           | burrowing,        |  |
|      |                                    |           | gasping and       |  |
|      |                                    |           | splashing. 5.     |  |
|      |                                    |           | Whole surface of  |  |
|      |                                    |           | the pen boiling   |  |
|      |                                    |           | with violent      |  |
|      |                                    |           | splashing.        |  |
|      |                                    |           |                   |  |
|      |                                    |           |                   |  |

| 10.5 | Oxygen levels must be monitored   | Important | Records,        |  |  |
|------|-----------------------------------|-----------|-----------------|--|--|
|      | and corrective action must be     |           | documents,      |  |  |
|      | taken if levels fall below 9 mg/L |           | videos, on-site |  |  |
|      | for eggs between 4 and 12° C      |           | measurements.   |  |  |
|      | and 7 mg/L for juveniles.         |           |                 |  |  |
|      |                                   |           |                 |  |  |
|      |                                   |           |                 |  |  |
|      |                                   |           |                 |  |  |
|      |                                   |           |                 |  |  |

#### 11 - CULLING

| No.  | Requirement  | Level     | Parameters<br>and<br>information       | Y/N | Comments |
|------|--|-----------|--|-----|----------|
| 11.1 | Any seriously sick or injured fish, or fish found not to be recovering, must be immediately removed and humanely killed without delay. | Important | Records,<br>documents.                 |     |          |
| 11.2 | Fish must only be culled using overdose of anesthetic.   | Important | Documents,<br>on-site<br>observations. |     |          |
| 11.3 | Culling of any fish must only be conducted by suitably trained and competent people.   | Important | Documents.                             |     |          |
|      |  |           |  |     |          |

#### 12- WELFARE ASSESSMENT

| No.  | Requirement                           | Level     | Parameters       | Y/N | Comments |
|------|---------------------------------------|-----------|------------------|-----|----------|
|      |                                       |           | and              |     |          |
|      |                                       |           | information      |     |          |
| 12.1 | Appropriate systems for on-site or    | Important | Documents,       |     |          |
|      | remote behavioural observations       |           | videos, on-site  |     |          |
|      | must be implemented: fixed or         |           | observation of   |     |          |
|      | mobile live cameras underwater        |           | major            |     |          |
|      | (preferred), live surface             |           | behaviour        |     |          |
|      | observations (if the previous is not  |           | patterns:        |     |          |
|      | possible), surface windows, or        |           | swimming         |     |          |
|      | others. Behavioural observations      |           | behaviour        |     |          |
|      | should be regularly recorded during   |           | should be calm   |     |          |
|      | routine procedures or any other       |           | schooling, no    |     |          |
|      | action which can cause stress or      |           | panic reactions, |     |          |
|      | discomfort to fish, in order to       |           | no isolated      |     |          |
|      | identify caveats and improve          |           | individuals, no  |     |          |
|      | protocols.                            |           | aggression, no   |     |          |
|      | ·                                     |           | abnormal         |     |          |
|      |                                       |           | behaviour (see   |     |          |
|      |                                       |           | points below).   |     |          |
|      |                                       |           | ,                |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
| 12.2 | Fish must be inspected on a daily     | Important | Documents,       |     |          |
|      | basis and dead or moribund fish       |           | videos, on-site  |     |          |
|      | should be removed, minimising         |           | observation.     |     |          |
|      | handling to avoid stress to the live  |           |                  |     |          |
|      | fish within the enclosure (see        |           |                  |     |          |
|      | Section 11 Culling).                  |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
| 12.3 | Abnormal behaviour must be            | Important | on-site          |     |          |
|      | investigated in order to identify the |           | observation.     |     |          |
|      | cause of the issue and prevent        |           |                  |     |          |
|      | reocccurence by implementing          |           |                  |     |          |
|      | effective prevention strategies.      |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
| L    | 1                                     | I.        | l .              | l   | l        |

| 12.4 | Fish should be shoaling or schooling             | Important | on-site      |  |
|------|--|-----------|--------------|--|
|      | (i.e. group swimming with polarized orientation) |           | observation. |  |
|      |  |           |              |  |
|      |  |           |              |  |
| 12.5 | Aggression events should be absent               | Important | on-site      |  |
|      | in 5 consecutive mins of observation             |           | observation. |  |
|      | (minimum)  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
| 12.6 | Abnormal, vacuum or stereotypical                | Important | on-site      |  |
|      | behaviour should be absent in 5                  |           | observation. |  |
|      | consecutive mins of observation                  |           |              |  |
|      | (minimum)  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
| 12.7 | Anticipatory behaviour must be                   | Important | on-site      |  |
|      | apparent prior to feeding routines               |           | observation. |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
| 12.8 | If individual observation is possible            | Important | on-site      |  |
| 12.0 | in detail, ventilatory activity should           | Important | observation. |  |
|      | be normal (50-70 opercular beats                 |           |              |  |
|      | per min. (bpm)); hyperventilation                |           |              |  |
|      | (>90 bpm) should be absent at all                |           |              |  |
|      | times. Abnormal values must be                   |           |              |  |
|      | reported to the welfare specialist.              |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
| 12.9 | Swimming activity should be                      | Important | on-site      |  |
|      | regular, without major or sudden                 |           | observation. |  |
|      | changes.   |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |
|      |  |           |              |  |

| 12.10 | Before transfer to on-growing sites,  | Important   | on-site     |  |  |
|-------|---------------------------------------|-------------|-------------|--|--|
|       | a sample of ca. 100 fish must be      |             | observation |  |  |
|       | examined at the point of weight       |             |             |  |  |
|       | sampling for the following            |             |             |  |  |
|       | outcomes: a) fin damage,              |             |             |  |  |
|       | b) opercular damage, c) eye           |             |             |  |  |
|       | damage, d) spine or jaw               |             |             |  |  |
|       | deformities, e) poor skin condition.  |             |             |  |  |
|       |                                       |             |             |  |  |
| 12.11 | Farmers should be aware of, and       | Recommended |             |  |  |
|       | consider the use of, new technology   |             |             |  |  |
|       | that improves the welfare of fish.    |             |             |  |  |
|       |                                       |             |             |  |  |
|       |                                       |             |             |  |  |
|       |                                       |             |             |  |  |
| 12.12 | Farmers should have access to         | Recommended |             |  |  |
|       | reliable and relevant information on  |             |             |  |  |
|       | fish welfare.                         |             |             |  |  |
|       |                                       |             |             |  |  |
|       |                                       |             |             |  |  |
|       |                                       |             |             |  |  |
|       |                                       |             |             |  |  |
| 12.13 | Farmers must implement a protocol     | Important   | On-site     |  |  |
|       | to perform routine monitoring and     |             | observation |  |  |
|       | assessments of fish welfare status in |             |             |  |  |
|       | their facilities, i.e. an internal    |             |             |  |  |
|       | evaluation based on welfare           |             |             |  |  |
|       | indicators.                           |             |             |  |  |
|       |                                       |             |             |  |  |
|       |                                       |             |             |  |  |
|       |                                       |             |             |  |  |

#### 13- STOCKING AND MORTALITY

| No.  | Fish stock numbers, average weight  | <b>Level</b> Important | Parameters<br>and<br>information | Y/N | Comments |
|------|---|------------------------|----------------------------------|-----|----------|
|      | and total biomass must be monitored weekly. Records for monitoring and documentation must be available for inspection.  |                        | documents.                       |     |          |
| 13.2 | Stocking density should be monitored in relation to fish health and behaviour indicators (see Section 3 Animal Health and Welfare and Section 12 Welfare Assessment). Water quality must be monitored frequently and on demand (see Aqua-inland point 8 and Section 2 Water). | Important              | Records,<br>documents.           |     |          |
| 13.3 | Mortality must be checked daily and dead fish should be removed from the water immediately. Mortality records must be available at inspection.  | Important              | Monthly mortality rate >1%.      |     |          |
| 13.4 | Deviation from expected mortalities<br>(included in the Veterinary Health<br>Plan) must be discussed with a<br>Veterinary and a Welfare specialist.   | Important              |                                  |     |          |

| 13.5 | Records for mortality causes must     | Important |  |  |
|------|---------------------------------------|-----------|--|--|
|      | be in place per production unit.      |           |  |  |
|      | Operators must show awareness for     |           |  |  |
|      | mortality causes at inspection.       |           |  |  |
|      | mortancy causes at inspection.        |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
| 13.6 | When unexplained mortalities          | Important |  |  |
|      | exceed ≥0.5% per day, samples are     |           |  |  |
|      | submitted for analysis by a           |           |  |  |
|      |                                       |           |  |  |
|      | veterinarian.                         |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
| 13.7 | Managers must:                        | Important |  |  |
|      | a) ensure that all staff working with |           |  |  |
|      | stock are trained and competent in    |           |  |  |
|      | aspects of fish husbandry and         |           |  |  |
|      | welfare, relevant to their duties     |           |  |  |
|      | b) ensure that staff working with     |           |  |  |
|      | stock must have attended a            |           |  |  |
|      | recognised fish welfare course.       |           |  |  |
| 13.8 | Operators must be able to             | Important |  |  |
|      | demonstrate their proficiency in      |           |  |  |
|      | procedures that have the potential    |           |  |  |
|      | to cause pain or distress including,  |           |  |  |
|      | handling, crowding and culling.       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
| 13.9 | Stock-keepers must be able to         | Important |  |  |
|      | recognise indicators of poor welfare  |           |  |  |
|      | in fish including abnormal            |           |  |  |
|      | behaviour, physical injury and        |           |  |  |
|      | symptoms of disease.                  |           |  |  |
|      | o,pco.no or disease.                  |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |
|      |                                       |           |  |  |

#### 14- BROODSTOCK AND EGGS

| No.  | Requirement                           | Level       | Parameters  | Y/N | Comments |
|------|---------------------------------------|-------------|-------------|-----|----------|
|      |                                       |             | and         |     |          |
|      |                                       |             | information |     |          |
|      |                                       |             |             |     |          |
| 14.1 | Stocking of broodstock should         | Important   | Records,    |     |          |
|      | match the natural sex ratio of the    |             | documents.  |     |          |
|      | species. (1M: 1.4F in Sea trout but   |             |             |     |          |
|      | 6M: 1F in Brown trout. No             |             |             |     |          |
|      | spontaneous spawning in holding       |             |             |     |          |
|      | tanks, at least for domesticated      |             |             |     |          |
|      | broodstock).                          |             |             |     |          |
| 14.2 | Density of spawners must be kept      | Important   |             |     |          |
|      | <22kg/m³ for stocking.                | , , , , , , |             |     |          |
|      | ,                                     |             |             |     |          |
|      |                                       |             |             |     |          |
|      |                                       |             |             |     |          |
|      |                                       |             |             |     |          |
|      |                                       |             |             |     |          |
|      |                                       |             |             |     |          |
| 14.3 | Tank sizes must be > 5m³ and > 1m     | Important   |             |     |          |
|      | deep, rounded or avoiding angles      |             |             |     |          |
|      | and contain structural enrichment,    |             |             |     |          |
|      | provided that it does not hinder fish |             |             |     |          |
|      | swimming activities or tank cleaning  |             |             |     |          |
|      | operations.                           |             |             |     |          |
| 14.4 | Environmental parameters              | Important   | Records,    |     |          |
|      | (temperature and photoperiod) of      |             | documents.  |     |          |
|      | broodstock tanks should follow the    |             |             |     |          |
|      | natural rhythms. Salmo trutta is      |             |             |     |          |
|      | naturally a winter spawner (usually   |             |             |     |          |
|      | November-December), and eggs are      |             |             |     |          |
|      | normally produced at 4-12° C.         |             |             |     |          |
| 14.5 | Natural spawning methods, i.e.        | Important   | Records,    |     |          |
|      | without handling or manipulation,     |             | documents.  |     |          |
|      | should be implemented. In the         |             |             |     |          |
|      | absence of such, all handling         |             |             |     |          |
|      | procedures (e.g. stripping) must be   |             |             |     |          |
|      | performed under anesthesia by a       |             |             |     |          |
|      | trained staff member or team.         |             |             |     |          |
|      |                                       |             |             | 1   |          |

| 14.6 | Eggs can be manipulated between      | Important | Records,   |  |  |
|------|--------------------------------------|-----------|------------|--|--|
|      | 30 minutes and 24 h following        |           | documents. |  |  |
|      | fertilisation, after which any shock |           |            |  |  |
|      | should be avoided until the eyed     |           |            |  |  |
|      | stage (typically 300 degree-days).   |           |            |  |  |
|      | Developing eggs may be maintained    |           |            |  |  |
|      | in dim light or darkness and water   |           |            |  |  |
|      | exchange should be moderate (one     |           |            |  |  |
|      | renewal per hour) and the dissolved  |           |            |  |  |
|      | oxygen level kept at 100 percent     |           |            |  |  |
|      | saturation. Deformed and dead        |           |            |  |  |
|      | eggs/fry should be carefully         |           |            |  |  |
|      | removed daily to prevent the         |           |            |  |  |
|      | development of fungus. At the eyed   |           |            |  |  |
|      | stage, eggs can be manipulated       |           |            |  |  |
|      | again.                               |           |            |  |  |
|      |                                      |           |            |  |  |

## **ON-GROWING REQUIREMENTS**

#### 1 - CAPTIVE ENVIRONMENT

| No. | Requirement                                      | Level     | Parameters                    | Y/N | Comments |
|-----|--|-----------|-------------------------------|-----|----------|
|     |  |           | and                           |     |          |
|     |  |           | information                   |     |          |
| 1.1 | Production units should provide                  | Important | There must always             |     |          |
|     | horizontal and vertical withdrawal               |           | be horizontal and             |     |          |
|     | space, optimising fish welfare                   |           | vertical empty                |     |          |
|     | conditions regarding spatial                     |           | space.                        |     |          |
|     | constraints.                                     |           |                               |     |          |
|     |  |           |                               |     |          |
| 1.2 | Production units must not have sharp             | Important | Absence of                    |     |          |
|     | protrusions which may be injurious               |           | dangerous                     |     |          |
|     | to the fish.                                     |           | protrusions.                  |     |          |
|     |  |           |                               |     |          |
|     |  |           |                               |     |          |
|     |  |           |                               |     |          |
| 1.3 | Production units and equipment must              | Important | Good overall                  |     |          |
|     | be checked for holes, faults and                 |           | condition of nets             |     |          |
|     | fouling. All equipment must be                   |           | and infrastructures.          |     |          |
|     | maintained regularly and records                 |           | Records of                    |     |          |
|     | must be ready for inspection.                    |           | periodicity and               |     |          |
|     |  |           | methods as                    |     |          |
|     |  |           | assessment.                   |     |          |
|     |  |           |                               |     |          |
| 1.4 | Farme decises about the south that               | Toursele  | Markey of the litera          |     |          |
| 1.4 | Farm design should be such that                  | Important | Water visibility,             |     |          |
|     | inspection of all stock is possible.             |           | ROVs, divers,<br>cameras etc. |     |          |
|     | Total suspended solids < 25 mg/dm <sup>3</sup> . |           | cameras etc.                  |     |          |
| 1.5 | Optimal photoperiod for fish welfare             | Important | Facility allocated            |     |          |
|     | must be determined on a site-by-site             |           | within the natural            |     |          |
|     | basis using practical experience,                |           | photoperiod and               |     |          |
|     | research and welfare specialist                  |           | geographical range            |     |          |
|     | advice.  |           | of the species.               |     |          |
| 1.6 | Production units must be of adequate             | Important | Depth of net-pen.             |     |          |
|     | depth to prevent damage from                     |           |                               |     |          |
|     | ultraviolet radiation (> 45 cm) or               |           |                               |     |          |
|     | shadows must be provided if                      |           |                               |     |          |
|     | considered appropriate.                          |           |                               |     |          |
|     | 1  | I         | 1                             |     | l .      |

| Additional lighting either fixed or   | Important   | Stock inspection at  |  |  |
|---------------------------------------|---|--|--|--|
|                                       | · ·   | ·  |  |  |
|                                       |   | all times.   |  |  |
| should be switched on to allow        |   |  |  |  |
| examination of the animals and        |   |  |  |  |
| equipment.                            |   |  |  |  |
|                                       |   |  |  |  |
| Structural enrichment should be       | Recommended   | Presence of  |  |  |
| provided. If deemed impossible or     |   | enrichment - but   |  |  |
| harmful, other type of enrichment     |   | observing 1.2.   |  |  |
| should be implemented                 |   |  |  |  |
| ·                                     |   |  |  |  |
|                                       |   |  |  |  |
| Serisoriary.                          |   |  |  |  |
|                                       |   |  |  |  |
| The tanks should be located in a site | Recommended   | Absence of noise,  |  |  |
| protected from human induced noise.   |   | recorded with a  |  |  |
| The maximum sound pressure level      |   | hydrophone and   |  |  |
| should be under 150 dB re 1 µPa rms   |   | analysed with  |  |  |
| ·                                     |   | appropriate  |  |  |
| =                                     |   |  |  |  |
| any point of the tank at all times.   |   | sortware.  |  |  |
|                                       |   |  |  |  |
|                                       | should be switched on to allow examination of the animals and equipment.  Structural enrichment should be provided. If deemed impossible or harmful, other type of enrichment should be implemented (occupational, dietary, social, sensorial).  The tanks should be located in a site protected from human induced noise. The maximum sound pressure level | portable, must be available, but only should be switched on to allow examination of the animals and equipment.  Structural enrichment should be provided. If deemed impossible or harmful, other type of enrichment should be implemented (occupational, dietary, social, sensorial).  The tanks should be located in a site protected from human induced noise. The maximum sound pressure level should be under 150 dB re 1 µPa rms in the 0.2-2kHz frequency range in | portable, must be available, but only should be switched on to allow examination of the animals and equipment.  Structural enrichment should be provided. If deemed impossible or harmful, other type of enrichment should be implemented (occupational, dietary, social, sensorial).  The tanks should be located in a site protected from human induced noise. The maximum sound pressure level should be under 150 dB re 1 µPa rms in the 0.2-2kHz frequency range in | portable, must be available, but only should be switched on to allow examination of the animals and equipment.  Structural enrichment should be provided. If deemed impossible or harmful, other type of enrichment should be implemented (occupational, dietary, social, sensorial).  The tanks should be located in a site protected from human induced noise. The maximum sound pressure level should be under 150 dB re 1 µPa rms in the 0.2-2kHz frequency range in |

**Commentato [MP5]:** Level changed based on what said during a call with some TC members.

#### 2- WATER

| No. | Requirement                         | Level     | Parameters     | Y/N | Comments |
|-----|-------------------------------------|-----------|----------------|-----|----------|
|     |                                     |           | and            |     |          |
|     |                                     |           | information    |     |          |
|     |                                     |           |                |     |          |
| 2.1 | A contingency plan must exist to    | Important | Water          |     |          |
|     | correct water quality parameters    |           | transparency,  |     |          |
|     | when they deviate from reference    |           | absence of     |     |          |
|     | values.                             |           | foam, food or  |     |          |
|     |                                     |           | other items in |     |          |
|     |                                     |           | the surface or |     |          |
|     |                                     |           | in             |     |          |
|     |                                     |           | suspension,    |     |          |
|     |                                     |           | overall good   |     |          |
|     |                                     |           | water quality. |     |          |
| 2.2 | Temperature should be verifiable at | Important | Regular        |     |          |
| 2.2 | all times, and must be between 18   | important | records of     |     |          |
|     | to 24° C.                           |           |                |     |          |
|     | 10 24° C.                           |           | temperature.   |     |          |
|     |                                     |           |                |     |          |
|     |                                     |           |                |     |          |

#### 3 - ANIMAL HEALTH AND ANIMAL WELFARE

| No. | Requirement  | Level     | Parameters<br>and<br>information     | Y/N | Comments |
|-----|--|-----------|--------------------------------------|-----|----------|
| 3.1 | Each site must either employ a qualified fish vet or have access to one.   | Important | Records,<br>documents,<br>contracts. |     |          |
| 3.2 | Each site must either employ a qualified fish welfare specialist or have regular access to one.  | · ·       | Records,<br>documents.               |     |          |
| 3.3 | All sites must have a documented fish health and welfare plan.   | Important | Records,<br>documents.               |     |          |
| 3.4 | The documented fish health and welfare plan must be reviewed on at least an annual basis by an experienced fish veterinary and welfare specialist. | Important | Records,<br>documents.               |     |          |

#### 4 - FEEDING

| No. | Requirement  | Level     | Parameters<br>and<br>information | Y/N | Comments |
|-----|--|-----------|----------------------------------|-----|----------|
| 4.1 | The farm must implement a system that ensures appropriate feed logistics (storage, transport, distribution, traceability), records, and contingency plans. | Important | Records,<br>documents.           |     |          |

| 4.2 | The farm must ensure that       | Important | Records,      |  |
|-----|---------------------------------|-----------|---------------|--|
| 4.2 |                                 | Important | ,             |  |
|     | feeding regimes are carried out |           | documents.    |  |
|     | according to manufacturer's     |           |               |  |
|     | guidelines, farmer experience,  |           |               |  |
|     | and feeding behaviour.          |           |               |  |
|     | Adjustments to feeding regimes  |           |               |  |
|     | should be based on fish         |           |               |  |
|     | behaviour, appetite, expected   |           |               |  |
|     | biomass, and minimisation of    |           |               |  |
|     | feed waste.                     |           |               |  |
|     |                                 |           |               |  |
| 4.3 | Feed must be dispensed and      | Important | Records,      |  |
|     | spread throughout the rearing   |           | feeding       |  |
|     | space to minimise the risk of   |           | technique and |  |
|     | over- and under-feeding and to  |           | protocol.     |  |
|     | reduce feeding competition.     |           |               |  |
|     |                                 |           |               |  |
|     |                                 |           |               |  |
| 4.4 | Fish must be observed at least  | Important | Records,      |  |
|     | once per day during feeding and |           | documents.    |  |
|     | feeding behaviour should be     |           |               |  |
|     | registered. Records must be     |           |               |  |
|     | available for inspection.       |           |               |  |
|     |                                 |           |               |  |
|     |                                 |           |               |  |
|     |                                 |           |               |  |

#### 5 - HANDLING AND MANIPULATION PROCEDURES

| No. | Requirement   | Level     | Parameters  | Y/N | Comments |
|-----|---|-----------|---|-----|----------|
|     |   |           | and   |     |          |
|     |   |           | information   |     |          |
| 5.1 | Fish must be protected at all times from avoidable injuries, pain and stress. Farm operators must be able to demonstrate awareness at inspection. | Important | Records,<br>documents,<br>SOP, on-site<br>observation,<br>training. |     |          |
| 5.2 | Cleaning and maintenance operations must be carried out with minimal impact to fish welfare and health.   | Important | Records,<br>documents,<br>on-site<br>observation,<br>training.      |     |          |

|     | •                              |           |                 |  |  |
|-----|--------------------------------|-----------|-----------------|--|--|
| 5.3 | Live fish must only be         | Important | Records,        |  |  |
|     | removed from water and         |           | documents,      |  |  |
|     | handled when absolutely        |           | on-site         |  |  |
|     | necessary. The maximum         |           | observation,    |  |  |
|     | emersion time without          |           | training.       |  |  |
|     | anesthesia is 15 seconds.      |           |                 |  |  |
| 5.4 | When fish are handled,         | Important | Records,        |  |  |
|     | adequate support must be       |           | documents,      |  |  |
|     | given to the body: live fish   |           | videos, on-site |  |  |
|     | should never be held by the    |           | observation.    |  |  |
|     | gills, tail only and/or        |           |                 |  |  |
|     | thrown.                        |           |                 |  |  |
| 5.5 | Handling nets must be of a     | Important | Net design,     |  |  |
|     | suitable size and ideally      |           | size and        |  |  |
|     | knotless. They must be kept    |           | condition.      |  |  |
|     | clean, disinfected after use   |           | Contaction      |  |  |
|     | and replaced when              |           |                 |  |  |
|     | damaged. Their design must     |           |                 |  |  |
|     | be as to not risk injuring the |           |                 |  |  |
|     | fish. In case other            |           |                 |  |  |
|     | equipment apart from nets      |           |                 |  |  |
|     | is used, they must be in       |           |                 |  |  |
|     | good conditions and without    |           |                 |  |  |
|     | protrusions.                   |           |                 |  |  |
|     | p. d. doi.d.i.                 |           |                 |  |  |
|     |                                |           |                 |  |  |
|     |                                |           |                 |  |  |

**Commentato [MP6]:** Added following a stakeholder comment.

#### 6 - VACCINATION

| No. | Requirement   | Level     | Parameters<br>and<br>information                       | Y/N | Comments |
|-----|---|-----------|--|-----|----------|
| 6.1 | All vaccination procedures must be conducted with care and with the minimum possible distress caused to the fish. | Important | Records,<br>documents,<br>SOP, on-site<br>observation. |     |          |
| 6.2 | All fish must be sedated before being injected, unless there are clear health and welfare reasons not to.         | Important | Records,<br>documents, on-<br>site<br>observation.     |     |          |

| 6.3 | Vaccines and anesthetics must be    | Important | Records,       |  |
|-----|-------------------------------------|-----------|----------------|--|
| 0.0 | used according to the               | 1portaile | documents, on- |  |
|     | 3                                   |           | ,              |  |
|     | manufacturer's data sheet, unless   |           | site           |  |
|     | otherwise specified by a vet.       |           | observation.   |  |
|     | Vaccine use must be recorded in the |           |                |  |
|     | Veterinary Health and Welfare Plan. |           |                |  |
|     |                                     |           |                |  |
| 6.4 | There must be back-up systems and   | Important | Records,       |  |
|     | contingency plans in place to deal  |           | documents.     |  |
|     | with vaccination system             |           |                |  |
|     | malfunctions and breakdowns in      |           |                |  |
|     | order to safeguard the welfare of   |           |                |  |
|     | the fish.                           |           |                |  |
|     |                                     |           |                |  |

#### 7 - GRADING

| No. | Requirement                         | Level        | Parameters    | Y/N | Comments |
|-----|-------------------------------------|--------------|---------------|-----|----------|
|     |                                     |              | and           |     |          |
| 7.1 | Grading must be minimised           | Important    | Records,      |     |          |
|     | and only be performed when          |              | documents,    |     |          |
|     | absolutely necessary e.g.           |              | SOP, on-site  |     |          |
|     | before vaccination, to avoid        |              | observation   |     |          |
|     | cannibalism, before                 |              | (grading      |     |          |
|     | slaughtering.                       |              | system).      |     |          |
| 7.2 | All grading equipment must be       | Important    | Records,      |     |          |
|     | designed and maintained in order    | 2111portaile | documents,    |     |          |
|     | to prevent damage or cause stress   |              | on-site       |     |          |
|     | to the fish (e.g. absence of        |              | observation   |     |          |
|     | protrusions to avoid injuries, fish |              | (grading      |     |          |
|     | should be kept submerged at all     |              | system).      |     |          |
|     | times).                             |              | ,             |     |          |
| 7.3 | A written protocol/working          | Important    | Records, SOP, |     |          |
|     | procedure for grading must be in    |              | documents.    |     |          |
|     | place and carried out at all time.  |              |               |     |          |
|     |                                     |              |               |     |          |
|     |                                     |              |               |     |          |
|     |                                     |              |               |     |          |
| 7.4 | Fish must be monitored throughout   | Important    | Records,      |     |          |
|     | the operation by a designated       |              | documents.    |     |          |
|     | person who is responsible for       |              |               |     |          |
|     | identifying welfare issues and      |              |               |     |          |
|     | taking appropriate action if        |              |               |     |          |
|     | necessary.                          |              |               |     |          |

Commentato [MP7]: Added following a wise suggestion from a stakeholder)

| 7.5 | If passive grading is used, the size | Important | Records,    |  |
|-----|--------------------------------------|-----------|-------------|--|
|     | and design of the grading panel      |           | documents,  |  |
|     | must be appropriate for the size of  |           | on-site     |  |
|     | fish that are to be graded, and the  |           | observation |  |
|     | enclosure they are contained         |           | (grading    |  |
|     | within.                              |           | system).    |  |
|     |                                      |           |             |  |

#### 8 - TRANSPORTATION

| No. | Requirement   | Level      | Parameters             | Y/N | Comments |
|-----|---|------------|------------------------|-----|----------|
|     |   |            | and                    |     |          |
|     |   |            | information            |     |          |
| 8.1 | Transport must be planned in  | Important  | Records,               |     |          |
|     | order to minimise possible adverse                                    |            | documents.             |     |          |
|     | effects on fish welfare. Transport                                    |            |                        |     |          |
|     | on land: max 8h.  |            |                        |     |          |
|     |   |            |                        |     |          |
| 8.2 | Water quality parameters  | Important  | Records,               |     |          |
|     | (oxygenation, ammonia levels, pH,                                     |            | documents.             |     |          |
|     | temperature) must be monitored  |            |                        |     |          |
|     | during transport and match with                                       |            |                        |     |          |
|     | arrival tanks. A surface skimmer                                      |            |                        |     |          |
|     | must be present in all transport                                      |            |                        |     |          |
|     | containers.   |            |                        |     |          |
| 8.3 | Biosecurity and fish welfare should                                   | Important  | Records,               |     |          |
| 0.5 | be considered before transporting                                     | Important  | documents.             |     |          |
|     | fish populations.   |            | documents.             |     |          |
|     | nsii populations.   |            |                        |     |          |
|     |   |            |                        |     |          |
|     |   |            |                        |     |          |
| 8.4 | All aguing out that the fight which                                   | Toonsubout | Descude                |     |          |
| 0.4 | All equipment that the fish rely on                                   | Important  | Records,<br>documents, |     |          |
|     | for life support must be constantly monitored throughout the journey. |            | on-site                |     |          |
|     | Absence of protrusions (to avoid                                      |            | observation.           |     |          |
|     | injuries) in the equipment is   |            | observation.           |     |          |
|     | requested.  |            |                        |     |          |
|     | . equesteu.   |            |                        |     |          |
| 8.5 | Water quality parameters must   | Important  | Records,               |     |          |
|     | always comply with those  |            | documents.             |     |          |
|     | described in the requirement FOS                                      |            |                        |     |          |
|     | Aqua-inland rev 3 (requirements                                       |            |                        |     |          |
|     | 8.1.1 to 8.1.11) and FOS Aqua   |            |                        |     |          |
|     | Inland-Marine Rev. 4  |            |                        |     |          |
|     | (requirements 8.1.1 to 8.1.7)   |            |                        |     |          |
| 8.6 | Cumplementary avygan or air   | Important  | Docordo                |     |          |
| 8.0 | Supplementary oxygen or air   | Important  | Records,<br>documents. |     |          |
|     | supply must be sufficient to last 50% longer than the anticipated     |            | documents.             |     |          |
|     | length of the journey (see Section                                    |            |                        |     |          |
|     | 8.1 Transportation).  |            |                        |     |          |
|     | 0.1 Transportation).  |            |                        |     |          |
|     |   |            |                        |     |          |
|     |   |            |                        |     |          |
|     |   | 1          | 1                      | 1   |          |

**Commentato [MP8]:** Added following a wise suggestion from a stakeholder

| temperature or pH during port must be avoided, unless are clear health and welfare as to do it.  sh that die during portation must be separated ive fish as soon as possible arrival. The cause of death be determined by a stent person.  ds of any deaths or injuries occur during transportation be kept. | Important  | Records, documents.  Records, documents.   |   |  |  |
|--|--|--|---|--|--|
| ortation must be separated ive fish as soon as possible arrival. The cause of death be determined by a stent person.  ds of any deaths or injuries ccur during transportation  |  | documents.   |   |  |  |
| ccur during transportation   | Important  |  |   |  |  |
|  |  |  |   |  |  |
| ngency plans must exist for quent transport problems   | Important  | Records,<br>documents.   |   |  |  |
| ation prior to transport should<br>e longer than 50-degree days<br>referably just enough to<br>re gut clearance (see Section<br>vation).   | Important  | Records,<br>documents.   |   |  |  |
|  | quent transport problems  ation prior to transport should clonger than 50-degree days referably just enough to re gut clearance (see Section | ation prior to transport should Important longer than 50-degree days referably just enough to e gut clearance (see Section | ation prior to transport should Important Records, documents.  The longer than 50-degree days referably just enough to regular clearance (see Section records). | ation prior to transport should Important Records, documents.  In the longer than 50-degree days referably just enough to regular equations and the longer than 50-degree for the longer than 50-degree days referably for the longer than 50-degree days referably just enough to regular equations and the longer than 50-degree days referably just enough to regular equations and the longer than 50-degree days referably just enough to regular equations and the longer than 50-degree days referably just enough to regular equations and the longer than 50-degree days referably so that the longer than 50-degree days referably guidance that the longer than 50-degree days referably guidance than 50-degree days referably guidance than 50-degree days referably guidance that the longer than 50-degree days referably guidance than 50-degree days | ation prior to transport should Important elonger than 50-degree days referably just enough to e gut clearance (see Section documents. |

# 9 - STARVATION

| No. | Requirement                        | Level     | Parameters     | Y/N | Comments |
|-----|------------------------------------|-----------|----------------|-----|----------|
|     |                                    |           | and            |     |          |
| 9.1 | Starvation periods must be         | Important | Records,       |     |          |
|     | justified.                         |           | documents.     |     |          |
|     |                                    |           |                |     |          |
| 9.2 | The period during which fish are   | Important | Records,       |     |          |
|     | deprived of food to achieve gut    |           | documents, on- |     |          |
|     | clearance prior to certain         |           | site           |     |          |
|     | procedures or harvesting must be   |           | observation.   |     |          |
|     | appropriate and as minimal as      |           |                |     |          |
|     | possible. Unless justified, must   |           |                |     |          |
|     | always be < 50-degree days.        |           |                |     |          |
| 9.3 | Feed withdrawal may form part of   | Important | Records,       |     |          |
|     | the response to the onset of       |           | documents.     |     |          |
|     | adverse environmental conditions   |           |                |     |          |
|     | and in the treatment of certain    |           |                |     |          |
|     | diseases. Veterinary and welfare   |           |                |     |          |
|     | specialist advice should be sought |           |                |     |          |
|     | and appropriate feed withdrawal    |           |                |     |          |
|     | protocols should be included if    |           |                |     |          |
|     | deviation periods from above.      |           |                |     |          |
|     |                                    |           |                |     |          |

## 10 - CROWDING

| No.  | Requirement                                | Level     | Parameters     | Y/N | Comments |
|------|--|-----------|----------------|-----|----------|
|      |  |           | and            |     |          |
| 10.1 | A written procedure for fish               | Important | SOP            |     |          |
|      | crowding must be validated by a            |           |                |     |          |
|      | welfare specialist and carried out         |           |                |     |          |
|      | every time.                                |           |                |     |          |
|      |  |           |                |     |          |
|      |  |           |                |     |          |
| 10.2 | Operators must be trained in the           | Important | SOP            |     |          |
|      | appropriate crowding techniques.           |           |                |     |          |
|      | appropriate an arrange account description |           |                |     |          |
|      |  |           |                |     |          |
|      |  |           |                |     |          |
|      |  |           |                |     |          |
| 10.3 | The frequency and duration of              | Important | Records, SOP,  |     |          |
|      | crowding should be kept to the             |           | videos,        |     |          |
|      | minimum and clearly justified.             |           | observation on |     |          |
|      | The period for fish crowding on            |           | site.          |     |          |
|      | any occasion must not exceed 1.5           |           |                |     |          |
|      | hour for grading or treatments             |           |                |     |          |
|      | and 2 hours for harvest.                   |           |                |     |          |
|      |  |           |                |     |          |
|      |  |           |                |     |          |

| 10.4 | Operators must monitor fish        | Important | Crowd intensity                   |   |  |
|------|------------------------------------|-----------|-----------------------------------|---|--|
|      | behaviour during crowding and      |           | scale: A simple                   |   |  |
|      | take actions if fish show signs of |           | fish behaviour                    |   |  |
|      | stress or damage. Surface          |           | scale from 1-5                    |   |  |
|      | activity should never reach stage  |           | may be used as                    |   |  |
|      | 4 on the crowd intensity scale     |           | a guide to                        |   |  |
|      |                                    |           | managing acute                    |   |  |
|      |                                    |           | stress, i.e.:                     |   |  |
|      |                                    |           | 1(optimum).                       |   |  |
|      |                                    |           | Importantly no                    |   |  |
|      |                                    |           | fins breaking the                 |   |  |
|      |                                    |           | surface of the                    |   |  |
|      |                                    |           | water. 2                          |   |  |
|      |                                    |           | (Acceptable).                     |   |  |
|      |                                    |           | Fins above the                    |   |  |
|      |                                    |           | water over a                      |   |  |
|      |                                    |           | small part of the                 |   |  |
|      |                                    |           | surface of the                    |   |  |
|      |                                    |           | crowd. 3                          |   |  |
|      |                                    |           | (Undesirable).                    |   |  |
|      |                                    |           | Fins and part of                  |   |  |
|      |                                    |           | the fish above                    |   |  |
|      |                                    |           | the water over                    |   |  |
|      |                                    |           | the whole                         |   |  |
|      |                                    |           | surface of the                    |   |  |
|      |                                    |           | crowd. Some                       |   |  |
|      |                                    |           | burrowing,                        |   |  |
|      |                                    |           | gasping and                       |   |  |
|      |                                    |           | vigorous activity                 |   |  |
|      |                                    |           | in parts of the                   |   |  |
|      |                                    |           | crowd. 4                          |   |  |
|      |                                    |           | (Unacceptable).                   |   |  |
|      |                                    |           | The whole                         |   |  |
|      |                                    |           | surface of the                    |   |  |
|      |                                    |           | crowd vigorously                  |   |  |
|      |                                    |           | burrowing,                        |   |  |
|      |                                    |           | gasping and                       |   |  |
|      |                                    |           | splashing. 5.<br>Whole surface of |   |  |
|      |                                    |           | the pen boiling                   |   |  |
|      |                                    |           | with violent                      |   |  |
|      |                                    |           | splashing.                        |   |  |
|      |                                    |           | opidaring.                        |   |  |
|      |                                    |           | 1                                 | 1 |  |

| 10.5 | Oxygen levels must be monitored    | Important | Records,        |  |
|------|------------------------------------|-----------|-----------------|--|
|      | and corrective action must be      |           | documents,      |  |
|      | taken if levels fall below 7 mg/L. |           | videos, on-site |  |
|      |                                    |           | measurements.   |  |
|      |                                    |           |                 |  |
|      |                                    |           |                 |  |
|      |                                    |           |                 |  |
|      |                                    |           |                 |  |
|      |                                    |           |                 |  |

# 11 - CULLING

| Requirement                         | Level   | Parameters  | Y/N  | Comments  |
|-------------------------------------|---|---|--|---|
|                                     |   | and   |  |   |
|                                     |   | information   |  |   |
| Any seriously sick or injured fish, | Important   | Records,  |  |   |
| or fish found not to be recovering, |   | documents.  |  |   |
| must be immediately removed and     |   |   |  |   |
| humanely killed without delay.      |   |   |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
| Fish must only be culled using an   | Important   | Documents,  |  |   |
| overdose of anesthetic.             |   | on-site   |  |   |
|                                     |   | observation.  |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
| Culling of any fish must only be    | Important   | Records,  |  |   |
| conducted by suitably trained and   |   | documents,  |  |   |
| competent people.                   |   | on-site   |  |   |
|                                     |   | observation,  |  |   |
|                                     |   | training.   |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
|                                     |   |   |  |   |
|                                     | Any seriously sick or injured fish, or fish found not to be recovering, must be immediately removed and humanely killed without delay.  Fish must only be culled using an overdose of anesthetic.  Culling of any fish must only be conducted by suitably trained and | Any seriously sick or injured fish, or fish found not to be recovering, must be immediately removed and humanely killed without delay.  Fish must only be culled using an overdose of anesthetic.  Culling of any fish must only be conducted by suitably trained and | Any seriously sick or injured fish, or fish found not to be recovering, must be immediately removed and humanely killed without delay.  Fish must only be culled using an overdose of anesthetic.  Culling of any fish must only be conducted by suitably trained and competent people.  Any seriously sick or injured fish, important metals and information.  Records, documents, on-site observation, | Any seriously sick or injured fish, or fish found not to be recovering, must be immediately removed and humanely killed without delay.  Fish must only be culled using an overdose of anesthetic.  Culling of any fish must only be conducted by suitably trained and competent people.  Any seriously sick or injured fish, information Records, documents.  Important Documents, on-site observation. |

### 12- WELFARE ASSESSMENT

| No.  | Requirement                           | Level     | Parameters       | Y/N | Comments |
|------|---------------------------------------|-----------|------------------|-----|----------|
|      |                                       |           | and              |     |          |
|      |                                       |           | information      |     |          |
| 12.1 | Appropriate systems for on-site or    | Important | Documents,       |     |          |
|      | remote behavioural observations       |           | videos, on-site  |     |          |
|      | must be implemented: fixed or         |           | observation of   |     |          |
|      | mobile live cameras underwater        |           | major            |     |          |
|      | (preferred), live surface             |           | behaviour        |     |          |
|      | observations (if the previous is not  |           | patterns:        |     |          |
|      | possible), surface windows, or        |           | swimming         |     |          |
|      | others. Behavioural observations      |           | behaviour        |     |          |
|      | should be regularly recorded during   |           | should be calm,  |     |          |
|      | routine procedures or any other       |           | schooling, no    |     |          |
|      | action which can cause stress or      |           | panic reactions, |     |          |
|      | discomfort to fish, in order to       |           | no isolated      |     |          |
|      | identify caveats and improve          |           | individuals, no  |     |          |
|      | protocols.                            |           | aggression, no   |     |          |
|      |                                       |           | abnormal         |     |          |
|      |                                       |           | behaviours (see  |     |          |
|      |                                       |           | points below).   |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
| 12.2 | Fish must be inspected on a daily     | Important | Documents,       |     |          |
|      | basis and dead or moribund fish       |           | videos, on-site  |     |          |
|      | should be removed, minimising         |           | observation.     |     |          |
|      | handling to avoid stress to the live  |           |                  |     |          |
|      | fish within the enclosure (see        |           |                  |     |          |
|      | Section 11 Culling).                  |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
| 12.3 | Abnormal behaviour must be            | Important | On-site          |     |          |
|      | investigated to identify the cause of |           | observation.     |     |          |
|      | the issue and be prevented from       |           |                  |     |          |
|      | reoccuring by implementing            |           |                  |     |          |
|      | effective prevention strategies.      |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |
|      |                                       |           |                  |     |          |

| Fish should be shoaling or schooling (i.e. group swimming with polarized                                      | Important  | On-site observation.   |  |
|---|--|--|--|
| orientation)  |  |  |  |
| Aggression events should be absent in 5 consecutive mins of observation (minimum).                            | Important  | On-site observation.   |  |
| Abnormal, vacuum or stereotypical behaviours should be absent in 5 consecutive mins of observation (minimum). | Important  | On-site observation.   |  |
| Anticipatory behaviour must appear prior to feeding routines.   | Important  | On-site observation.   |  |
| Swimming activity should be regular, without major or sudden changes.   | Important  | On-site observation.   |  |
|   | (i.e. group swimming with polarized orientation)  Aggression events should be absent in 5 consecutive mins of observation (minimum).  Abnormal, vacuum or stereotypical behaviours should be absent in 5 consecutive mins of observation (minimum).  Anticipatory behaviour must appear prior to feeding routines. | (i.e. group swimming with polarized orientation)  Aggression events should be absent in 5 consecutive mins of observation (minimum).  Abnormal, vacuum or stereotypical behaviours should be absent in 5 consecutive mins of observation (minimum).  Anticipatory behaviour must appear prior to feeding routines.  Important prior to feeding routines. | Aggression events should be absent in 5 consecutive mins of observation (minimum).  Abnormal, vacuum or stereotypical behaviours should be absent in 5 consecutive mins of observation (minimum).  Anticipatory behaviour must appear prior to feeding routines.  Important On-site observation.  On-site observation.  On-site observation. |

| 12.9  | Before transfer to on-growing sites,  | Recommended |              |  |  |
|-------|---------------------------------------|-------------|--------------|--|--|
|       | a sample of ca. 100 fish must be      |             |              |  |  |
|       | examined at the point of weight       |             |              |  |  |
|       | sampling for the following            |             |              |  |  |
|       | outcomes: a) fin damage,              |             |              |  |  |
|       | b) opercular damage, c) eye           |             |              |  |  |
|       | damage, d) spine or jaw               |             |              |  |  |
|       | deformities, e) poor skin condition.  |             |              |  |  |
|       |                                       |             |              |  |  |
| 12.10 | Farmers should be aware of, and       | Recommended |              |  |  |
|       | consider, the use of new technology   |             |              |  |  |
|       | that improves the welfare of fish.    |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
| 12.11 | Farmers should have access to         | Important   | On-site      |  |  |
|       | reliable and relevant information on  | important.  | observation. |  |  |
|       | fish welfare.                         |             | observation. |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
|       |                                       |             |              |  |  |
| 12.12 | Farmers must implement a protocol     | Important   | On-site      |  |  |
|       | to perform routine monitoring and     |             | observation. |  |  |
|       | assessments of fish welfare status in |             |              |  |  |
|       | their facilities is an internal       |             |              |  |  |
|       | their facilities, i.e. an internal    |             |              |  |  |
|       | evaluation based on welfare           |             |              |  |  |
|       |                                       |             |              |  |  |
|       | evaluation based on welfare           |             |              |  |  |
|       | evaluation based on welfare           |             |              |  |  |

### 13- STOCKING AND MORTALITY

| No.  | Fish stock numbers, average weight and total biomass must be monitored weekly. Records for monitoring and documentation must be available for inspection.   | <b>Level</b> Important | Parameters<br>and<br>information<br>Records,<br>documents. | Y/N | Comments |
|------|---|------------------------|--|-----|----------|
| 13.2 | Stocking density should be monitored in relation to fish health and behaviour indicators Optimum density of about 40 kg/m³. Water quality must be monitored frequently and on demand (see Aqua-inland point 8 and Section 2 Water). | Important              | Records,<br>documents.                                     |     |          |
| 13.3 | Mortality must be checked daily and dead fish should be removed from the production units. Mortality records must be available at inspection.   | Important              | Monthly mortality rate >1%.                                |     |          |
| 13.4 | Deviation from expected mortalities<br>(included in the Veterinary Health<br>Plan) must be discussed with a<br>Veterinary and a Welfare specialist.   | Important              |  |     |          |

| 13.5 | Records for mortality causes must<br>be in place per production unit.<br>Operators must show awareness for<br>mortality causes at inspection.   | Important |  |  |
|------|---|-----------|--|--|
| 13.6 | When unexplained mortalities exceed ≥0.5% per day, samples are submitted for analysis by a veterinarian.  | Important |  |  |
| 13.7 | Managers must:  a) ensure that all staff working with stock are trained and competent in aspects of fish husbandry and welfare, relevant to their duties b) ensure that staff working with stock must have attended a recognised fish welfare course. | Important |  |  |
| 13.8 | Operators must be able to demonstrate that they received training and that they are proficient in procedures that have the potential to cause pain or distress including, handling, crowding and culling.   | Important |  |  |
| 13.9 | Stock-keepers must be able to recognise indicators of poor welfare in fish including abnormal behaviour, physical injury and symptoms of disease (see Section 12 Welfare Assessment).   | Important |  |  |

### 14- HARVESTING, STUNNING AND SLAUGHTER

| No.  | Harvesting can only be performed using fish pumps. The dimensions of pumps and tubes must be scaled to the operation and approved by an engineer. The maximum flow rate should be 3m/s.  | Important during the transition period, after must be IMPORTANT                | Parameters and information  Documents, videos, on-site observation. | Y/N | Comments |
|------|--|--|---|-----|----------|
| 14.2 | The only permitted stunning and subsequent killing methods are: a) an effectively applied percussive blow, b) electronarcosis followed by bleeding, asphyxia or other slaughter method that must be applied while the fish are unconscious, c) electrocution (i.e. killing by electrical current). | Important<br>during the<br>transition<br>period, after<br>must be<br>IMPORTANT | Documents, videos, on-site observation.                             |     |          |
| 14.3 | A backup system e.g. 'priest' must be available throughout the killing process.  | Important  | Documents, videos, on-site observation.                             |     |          |
| 14.4 | Any fish which fall to the ground during the process must be humanely killed with the main or back up system.  | Important  | Documents, videos, on-site observation.                             |     |          |

| 14.5 | External damage such as scale loss, fin erosion, predator bites, lesions resulting from aggression, handling   | Important   | Documents,<br>videos, on-site<br>observation. |  |  |
|------|--|---|---|--|--|
|      | scares, parasite lesions and<br>deformities must be noted at<br>slaughter or upon arrival to the<br>processing station.  |   |   |  |  |
| 14.6 | All staff involved with the stunning and killing process must have received full training.   | Important during the transition period, after must be IMPORTANT | Documents,<br>videos, on-site<br>observation. |  |  |
| 14.7 | There must be a named person responsible for fish welfare throughout the killing process. This person is responsible for harvest records including stunning and slaughtering efficiency. | Important during the transition period, after must be IMPORTANT | Documents,<br>videos, on-site<br>observation. |  |  |
| 14.8 | A written procedure for fish humane stunning and slaughtering (see Section 14.1 – 4 Harvesting, stunning and slaughter) must be in place and carried out all time.                       | Important   | Documents,<br>videos, on-site<br>observation. |  |  |
| 14.9 | Video recordings of harvesting, stunning and slaughtering must be performed regularly (once per month or every time there is any change in protocols)                                    | Important   | Documents, videos, on-site observation.       |  |  |

|  | :  |
|--|--|
|  |  |
| The Auditor shall                                | also fill-in the following fields:   |
| -  | Organisation come from an aquaculture system which COMPLIES e Sea requirements.          |
| -  | Organisation come from an aquaculture system which DOES NOT end of the Sea requirements. |
| The Auditor found the                            | e following non-conformities:  |
| MAJOR NON-CONF                                   | ORMITIES (to be conformed to within 3 months)  |
| Specify the points (e.                           | g. Hatchery 1.1, On-growing 3.1,)  |
|  | ORMITIES (to be reported within 3 weeks and conformed to within                          |
| MINOR NON-CONF                                   |  |
|  |  |
| MINOR NON-CONFO<br>1 year)<br>Specify the points |  |